

Monthly Rainfall (millimetres)

BARADINE POST OFFICE

Station Number: 053001 · State: NSW · Opened: 1881 · Status: Open · Latitude: 30.95°S · Longitude: 149.07°E · Elevation: 300 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1881					54.9	0.0	17.6	46.5	30.2	39.7	97.3	1.8	
1882	0.0	168.0	5.1	54.7	76.0	80.2	25.6	14.1	5.1	66.0	123.3	61.8	679.9
1883	7.6	45.6	7.6	53.9	85.4	16.5	5.6	45.2	21.0	82.7	33.6	3.3	408.0
1884	0.0	8.1	10.6	63.4	17.5	65.2	56.1	9.1	86.9	13.7	53.7	32.1	416.4
1885	86.6	52.1	63.6	24.9	18.3	100.2	3.1	1.5	12.4	11.7	20.3	28.0	422.7
1886	25.2	0.0	0.0	76.2	109.3	65.3	93.9	186.2	8.9	72.2	92.7	130.4	860.3
1887	152.4	109.3	56.4	96.6	10.1	45.7	134.5	89.8	7.9	56.1	81.9	104.9	945.6
1888	41.9	123.4	7.6	0.0	32.5	1.3	0.0	0.0	23.1	19.8	5.9	37.3	292.8
1889	28.5	48.3	98.6	124.4	208.8	59.4	75.4	52.5	9.7	113.7	94.1	86.9	1000.3
1890	98.8	186.0	103.4	66.3	138.1	109.7	38.1	36.8	66.8	50.3	24.1	53.3	971.7
1891	178.6	22.8	132.5	29.2	34.3	73.5	47.0	43.2	35.6	0.0	5.1	12.7	614.5
1892	74.7	0.0	38.6	12.7	101.6	69.1	12.7	25.4	76.2	101.7	67.1	71.9	651.7
1893	78.7	22.8	12.7	37.0	83.1	67.5	12.7	133.4	4.1	75.2	22.6	21.3	571.1
1894	6.4	11.7	258.8	126.0	10.2	44.9	19.3	21.8	32.3	37.6	26.4	22.9	618.3
1895	130.9	53.6	0.0	16.0	34.8	28.7	0.0	0.0	65.4	0.0	96.3	57.5	483.2
1896	0.0	168.0	111.5	45.0	83.0	14.7	57.4	33.4	23.4	29.4	66.9	31.0	663.7
1897	102.9	5.3	29.7	0.0	23.1	109.9	159.7	5.1	65.3	31.8	0.0	24.4	557.2
1898	73.5	169.8	0.0	0.0	30.5	60.6	2.8	40.9	25.4	67.3	27.2	42.6	540.6
1899	112.7	22.6	7.6	66.1	0.0	59.3	159.5	69.0	39.5	40.2	31.2	8.9	616.6
1900	78.9	0.0	120.9	32.3	104.6	109.7	35.3	0.0	25.7	0.0	15.0	84.6	607.0
1901	0.0	0.0	0.0	0.0	78.2	11.5	10.9	143.5	22.4	0.0	0.0	18.3	284.8
1902	24.7	20.8	12.2	25.4	2.5	19.1	0.5	44.0	18.3	37.8	41.4	58.2	304.9
1903	26.9	33.0	50.1	132.2	173.0	6.3	72.7	39.8	122.0	29.7	28.4	55.9	770.0
1904	64.6	232.2	59.6	7.4	24.4	23.4	47.2	22.9	10.9	67.8	10.6	46.9	617.9
1905	9.4	54.1	57.1	199.2	49.0	43.2	55.1	57.9	4.8	45.2	48.6	19.8	643.4
1906	43.2	26.1	60.0	15.7	26.7	69.8	6.3	117.6	116.4	41.1	81.8	8.1	612.8
1907	90.2	6.6	51.1	33.3	2.3	62.8	35.6	47.9	13.2	9.7	57.4	74.4	484.5
1908	14.0	216.1	56.4	11.4	40.4	30.2	29.6	34.0	30.2	59.9	68.8	75.7	666.7
1909	39.7	150.3	25.2	38.2	19.2	69.6	27.0	102.6	39.9	28.3	60.4	86.2	686.6
1910	271.8	0.0	54.2	8.9	20.6	77.1	31.8	18.0	32.6	60.2	37.0	61.4	673.6
1911	119.6	74.6	38.9	0.0	26.6	14.2	68.4	43.0	30.5	34.5	64.0	78.8	593.1
1912	14.0	0.0	61.1	0.0	0.0	79.5	95.7	31.0	9.4	80.1	8.9	0.0	379.7
1913	55.9	55.8	73.5	67.4	102.8	42.0	15.2	5.1	22.8	21.6	16.5	40.6	519.2
1914	47.3	57.9	119.4	16.5	50.6	0.0	25.4	0.0	2.5	15.2	26.7	94.1	455.6
1915	25.4	10.9	1.8	31.0	82.5	34.2	59.8	34.0	9.4	43.0	0.0	71.9	403.9
1916	34.3	45.1	5.1	78.0	22.9	99.9	120.7	24.5	62.0	58.9	77.3	137.9	766.6
1917	175.9	54.1	2.5	0.0	2.5	72.4	23.7	37.3	62.6	46.0	68.7	60.7	606.4
1918	102.9	7.6	8.4	8.4	20.3	10.7	45.3	95.3	6.6	3.0	12.7	0.0	321.2
1919	24.8	56.6	23.1	18.0	88.8	5.6	19.6	15.3	0.0	7.6	0.0	101.2	360.6
1920	41.6	14.0	4.1	9.4	10.7	201.0	245.7	44.4	59.7	10.2	55.7	106.1	802.6
1921	20.1	31.8	33.8	104.3	77.5	116.9	69.7	27.4	18.3	35.0	6.4	92.0	633.2
1922	25.2	81.8	0.0	22.6	4.6	37.3	52.6	5.1	3.0	26.7	22.9	67.8	349.6
1923	0.0	3.8	16.5	0.0	3.0	110.1	32.2	6.4	39.4	25.4	27.2	118.3	382.3
1924	39.6	118.3	0.0	44.4	11.4	31.7	35.0	29.7	115.1	38.7	255.2	41.9	761.0
1925	45.0	36.5	27.7	0.0	57.9	29.3	35.6	40.3	10.7	8.8	95.8	35.5	423.1
1926	26.7	0.0	161.0	54.6	97.3	17.7	19.8	9.6	81.6	7.1	0.0	62.2	537.6
1927	56.9	0.0	23.9	39.3	6.4	27.9	0.0	3.0	1.5	68.8	79.5	101.0	408.2
1928	68.6	127.4	89.9	14.5	14.5	37.8	52.1	1.3	0.0	18.3	25.9	21.1	471.4

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BARADINE POST OFFICE

Station Number: 053001 · State: NSW · Opened: 1881 · Status: Open · Latitude: 30.95°S · Longitude: 149.07°E · Elevation: 300 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1929	24.6	55.7	34.5	73.9	0.0	23.9	22.1	36.3	28.7	29.9	43.4	31.7	404.7
1930	81.8	7.6	84.6	14.3	28.9	135.7	63.7	46.6	22.8	110.2	20.8	22.1	639.1
1931	32.3	6.6	127.7	74.5	138.6	138.2	15.0	9.2	6.4	3.6	112.6	55.3	720.0
1932	37.6	5.6	66.6	46.7	35.8	34.3	46.0	26.9	116.8	45.7	37.1	29.8	528.9
1933	52.3	20.3	29.3	26.8	35.5	40.2	86.9	14.2	69.2	97.6	154.7	48.0	675.0
1934	48.5	202.6	0.0	11.2	0.0	37.3	83.5	72.4	50.4	158.8	69.3	96.5	830.5
1935	52.8	6.4	0.0	28.7	19.1	20.3	36.3	28.5	68.8	46.8	8.4	71.2	387.3
1936	71.6	82.5	63.2	3.8	35.6	23.6	90.0	37.3	70.9	5.4	0.0	55.3	539.2
1937	84.3	49.1	62.0	5.1	9.9	45.7	32.7	25.2	15.2	31.3	97.6	15.8	473.9
1938	90.6	46.3	10.3	43.2	82.3	33.7	58.9	73.6	1.5	38.4	22.0	15.2	516.0
1939	69.6	3.3	105.9	76.1	23.4	55.0	9.3	131.7	4.8	35.0	51.3	10.9	576.3
1940	13.5	25.9	28.5	141.6	10.2	2.0	1.3	13.2	32.0	14.0	8.1	73.9	364.2
1941	214.2	37.6	144.8	0.0	42.2	80.7	6.9	10.4	13.9	38.4	31.0	16.0	636.1
1942	25.6	92.9	37.1	0.0	78.7	77.4	105.2	18.6	27.4	28.9	71.4	81.8	645.0
1943	175.5	13.2	4.6	53.1	31.8	19.3	17.6	13.2	17.8	30.0	114.9	9.4	500.4
1944	7.9	25.1	12.0	6.3	51.3	30.0	35.1	108.6	21.6	9.2	4.9	0.0	312.0
1945	78.7	73.1	11.9	82.6	88.3	102.5	29.4	75.6	1.5	26.2	8.9	69.8	648.5
1946	131.2	0.0	14.0	6.6	20.1	16.0	2.5	0.5	54.3	10.4	22.1	71.3	349.0
1947	5.6	145.9	77.2	11.9	22.4	17.3	46.1	54.9	79.3	108.5	70.4	210.0	849.5
1948	75.9	62.2	131.7	18.8	51.1	129.8	11.5	16.5	45.4	11.0	23.4	84.4	661.7
1949	20.0	118.9	77.5	35.1	21.6	40.0	20.5	17.3	117.2	93.4	60.6	28.8	650.9
1950	81.5	67.9	21.0	171.8	43.2	144.7	83.0	42.4	36.6	187.8	239.1	27.4	1146.4
1951	40.1	57.4	41.6	14.5	76.7	77.6	33.8	52.1	33.6	3.0	24.1	18.6	473.1
1952	9.9	79.3	108.7	40.8	40.8	63.5	54.4	109.3	1.3	36.6	18.0	6.4	569.0
1953	23.3	110.6	34.8	15.7	53.6	0.8	10.4	76.2	14.8	78.6	61.5	7.1	487.4
1954	180.9	177.1	39.4	14.2	0.0	54.7	10.9	17.6	28.7	199.3	34.0	38.8	795.6
1955	131.0	234.3	0.0	37.1	54.9	49.1	52.9	58.5	51.8	173.3	38.7	40.3	921.9
1956	166.4	165.1	61.4	84.4	65.0	91.9	64.6	9.5	24.9	61.3	2.5	62.5	859.5
1957	10.2	80.9	24.4	33.2	1.0	36.8	17.9	25.1	0.0	3.6	5.7	71.9	310.7
1958	114.6	21.1	50.1	11.0	70.7	62.8	16.5	27.2	66.1	109.5	14.0	57.7	621.3
1959	74.0	116.1	134.2	92.2	12.4	16.6	43.4	0.0	27.4	24.6	51.8	46.0	638.7
1960	64.0	3.1	48.2	9.7	50.3	15.0	58.7	14.0	37.2	43.3	101.6	65.1	510.2
1961	48.8	100.8	213.1	31.0	22.1	6.9	39.4	50.2	4.3	7.8	110.1	100.6	735.1
1962	106.9	68.8	57.7	46.2	36.9	3.3	38.7	59.0	60.5	82.8	17.5	85.8	664.1
1963	163.9	46.7	37.2	30.0	68.4	54.0	13.0	39.8	37.8	26.9	39.1	60.8	617.6
1964	69.3	21.6	33.0	109.4	40.7	19.4	29.3	29.4	92.5	96.2	6.4	13.2	560.4
1965	7.6	3.0	3.0	5.3	7.2	18.5	8.7	39.1	56.4	58.1	16.0	89.2	312.1
1966	0.0	18.1	51.6	6.4	14.5	50.6	19.1	120.6	25.3	54.6	80.5	69.7	511.0
1967	26.4	40.9	115.3	0.0	29.3	41.5	11.9	31.5	3.6	32.8	0.0	2.6	335.8
1968	244.8	47.5	18.4	22.2	122.8	9.2	31.2	75.1	44.6	19.6	16.0	75.8	727.2
1969	16.3	54.9	88.7	38.7	36.1	85.1	45.8	46.7	43.6	98.8	74.2	14.8	643.7
1970	88.7	75.0	41.4	76.2	18.1	6.1	0.0	22.3	86.4	39.4	65.3	163.9	682.8
1971	253.1	164.3	3.1	8.2	5.5	2.3	91.4	68.1	39.5	4.4	54.1	26.7	720.7
1972	122.2	32.7	4.8	7.9	8.7	9.1	4.8	19.6	26.7	82.5	115.6	32.5	467.1
1973	74.2	100.5	23.4	23.9	64.3	44.6	42.8	65.6	65.5	134.3	69.8	100.9	809.8
1974	246.0	27.2	13.4	79.2	13.6	29.0	30.8	33.9	39.2	65.8	34.8	12.8	625.7
1975	74.8	143.0	49.8	0.6	5.2	68.6	18.8	44.0	26.2	70.0	15.8	29.8	546.6
1976	268.8	124.6	57.8	17.2	7.2	62.4	66.2	7.1	40.2	64.2	54.4	31.4	801.5

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BARADINE POST OFFICE

Station Number: 053001 · State: NSW · Opened: 1881 · Status: Open · Latitude: 30.95°S · Longitude: 149.07°E · Elevation: 300 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1977	38.2	122.6	77.2	37.4	139.2	24.6	2.0	17.2	23.0	31.2	25.6	34.4	572.6
1978	98.1	24.2	68.4	1.0	82.0	54.4	62.4	40.6	105.6	12.2	132.0	64.0	744.9
1979	19.0	0.0	45.4	6.6	41.2	34.6	19.6	19.0	84.2	21.6	47.2	0.0	338.4
1980	105.6	53.0	23.8	5.0	97.8	34.8	33.1	22.2	0.0	35.4	0.0	64.0	474.7
1981	1.0	67.0	0.0	12.2	79.2	110.2	73.2	7.8	18.2	114.1	79.6	34.7	597.2
1982	59.2	15.4	104.0	1.4	38.8	4.3	6.6	0.0	11.0	16.8	17.6	18.2	293.3
1983	84.6	28.2	30.8	64.4	200.4	26.9	45.4	69.0	71.0	55.4	114.0	45.0	835.1
1984	183.0	83.0	30.0	66.4	5.4	0.0	119.0	41.0	33.0	40.0	62.4	43.0	706.2
1985	3.0	35.0	8.0	64.6	41.0	30.8	9.2	133.2	20.6	71.8	62.0	67.0	546.2
1986	39.6	0.0	0.0	23.4	43.6	3.0	120.3	50.1	52.2	38.3	75.2	36.4	482.1
1987	98.9	47.9	125.0	5.7	32.1	48.3	18.2	101.5	17.4	47.8	41.4	75.9	660.1
1988	117.2	71.3	4.2	152.9	34.3	27.7	83.7	60.2	66.8	2.6	32.2	71.3	724.4
1989	31.1	30.7	51.6	134.6	115.9	115.0	63.9	14.2	1.0	50.6	37.8	48.8	695.2
1990	57.0	31.8	29.4	202.0	92.2	16.4	58.6	16.0	24.6	53.8	4.2	12.4	598.4
1991	135.0	53.4	55.4	1.0	151.5	87.4	48.4	2.4	16.6	37.0	36.4	181.6	806.1
1992	5.8	143.2	9.6	22.6	14.2	7.4	44.0	93.2	35.6	26.5	90.9	185.3	678.3
1993	69.4	45.4	28.8	1.0	55.0	74.2	89.6	35.6	88.1	99.2	84.0	59.8	730.1
1994	38.8	42.6	63.0	6.4	1.4	7.4	10.0	6.6	3.8	21.8	58.6	45.8	306.2
1995	271.2	16.0	0.0	5.2	89.0	23.6	29.8	0.0	80.0	30.0	57.0	64.8	666.6
1996	199.0	22.4	0.8	5.6	41.2	43.6	125.0	101.8	28.6	49.2	40.0	142.0	799.2
1997	111.0	116.4	19.6	4.2	51.2	32.6	10.2	6.2	113.6	60.2	26.0	149.8	701.0
1998	60.6	65.0	18.4	69.0	59.4	78.0	193.0	98.8	110.7	55.6	92.0	45.8	946.3
1999	82.6	33.8	72.6		11.6	45.8	46.2	35.8	27.0	119.2	75.4	59.0	
2000	51.8	10.6	96.8	36.6	97.5	34.2	55.6	41.0	18.0	155.8	129.8	17.8	745.5
2001	29.2	64.0	40.6	24.2	18.4	37.4	97.4	10.2	28.8	60.2	131.4	22.8	564.6
2002	10.4	53.8	20.0	25.2	2.4	17.6	0.0	3.6	36.0	1.0		78.0	
2003	24.0	38.2	15.4	127.4	6.4	32.2	31.2	88.8	2.4	49.2	31.0	9.4	455.6
2004	72.4	181.0	84.0	20.2	13.2	19.8	48.8	36.6	32.0	45.2	76.4	151.8	781.4
2005	28.8	25.6	30.0	0.6	34.0	169.4	18.6	23.8	74.2	67.2	59.6	47.4	579.2
2006	33.0	33.4	39.4	26.4	2.4	37.2	70.4	5.8	24.2	25.6	39.6	36.0	373.4
2007	50.6	28.6	60.2	21.8	71.4	79.4	6.8	10.2	0.6	33.4	67.8	242.0	672.8
2008	61.8	68.4	19.4	5.8	21.8	40.6	27.6	32.8	42.4	37.4	159.8	71.8	589.6
2009	25.8	127.8	5.2	89.0	21.6	31.3	18.6	4.2	53.4	61.4	4.0	169.0	611.3
2010	82.0	145.6	89.0	31.0	42.6	35.6	124.0	63.0	57.6	58.2	132.2	148.2	1009.0
2011	44.8	42.8	29.2	22.2	46.4	9.6	5.0	37.8	74.6	44.8	117.6	126.0	600.8
2012	86.8	129.0	115.6	7.0	50.8	35.0	59.6	5.2	43.8	2.2	36.6	47.6	619.2
2013	55.4	60.0	69.6	0.0	28.8	76.8	27.7	4.8	33.4	8.7	10.6	10.8	386.6
2014	4.6	61.0	88.8	11.6	16.2	70.8	18.2	57.8	21.0	13.2	29.8	105.8	498.8
2015	68.4	9.0	20.2	86.4	44.9	68.0	42.2	24.2	7.3	19.4		7.7	
2016	101.6	16.6	37.1	7.0	61.6	167.3	23.0	72.4	198.6	55.0	22.8	31.4	794.4
2017	49.4	10.2	148.9	18.0	12.4	7.6	1.6	19.6		80.5	39.6	57.3	
2018	77.2	19.5											

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BARADINE POST OFFICE

Station Number: 053001 · State: NSW · Opened: 1881 · Status: Open · Latitude: 30.95°S · Longitude: 149.07°E · Elevation: 300 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	71.2	60.4	48.2	38.1	45.8	48.8	44.1	39.9	38.8	48.0	52.1	58.6	598.7
Lowest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	284.8
5th percentile	2.6	0.0	0.0	0.0	2.1	2.9	1.5	0.4	1.5	2.9	0.0	5.8	312.1
10th percentile	7.8	3.6	2.2	0.6	5.0	7.2	5.4	4.6	3.7	7.4	5.8	10.2	361.0
Median	56.9	46.3	37.1	23.4	35.5	37.4	33.8	33.4	29.5	38.7	39.6	53.3	612.0
90th percentile	164.9	145.7	113.4	90.9	97.6	105.4	92.4	94.0	82.9	99.0	111.6	111.0	805.8
95th percentile	202.0	171.3	131.9	128.8	125.9	119.5	121.4	111.0	111.4	115.1	130.3	150.2	888.0
Highest	271.8	234.3	258.8	202.0	208.8	201.0	245.7	186.2	198.6	199.3	255.2	242.0	1146.4

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	91.6	56.0	47.0	42.7	51.5	34.7	40.2	44.8	40.7	51.0	50.0	50.9	601.0
Lowest	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	2.6	0.0	0.0	293.3
5th Percentile	1.9	1.4	1.4	0.8	5.4	2.6	3.3	7.4	2.2	5.9	1.9	7.0	322.8
10th percentile	7.1	14.2	3.1	1.4	7.0	3.3	6.4	13.6	4.2	11.8	6.2	12.8	338.1
Median	74.5	47.1	35.1	23.6	37.8	28.4	32.2	40.2	38.5	49.2	44.3	44.0	621.6
90th percentile	244.9	122.8	105.1	111.9	116.6	70.2	84.5	77.7	84.4	96.5	110.5	90.3	750.6
95th percentile	249.9	134.7	120.6	144.7	131.8	98.9	106.6	112.0	89.8	107.2	114.9	100.8	806.1
Highest	268.8	164.3	213.1	202.0	200.4	115.0	120.3	133.2	105.6	134.3	132.0	163.9	835.1

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40225930 Created on Thu 16 Aug 2018 19:21:20 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

BINNAWAY (HAWTHORNE)

Station Number: 064013 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.64°S · Longitude: 149.43°E · Elevation: 410 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1886				35.5	86.3	50.9	77.0	125.1	5.1	92.3	151.5	109.3	
1887	164.8	129.8	121.8	43.5	34.9	39.7	70.8	120.9	8.7	51.1	67.7	168.0	1021.7
1888	3.6	110.9	7.8	0.0	42.9	9.1	17.6	1.0	44.5	21.1	61.2	41.0	360.7
1889	38.0	14.4	51.8	109.5	132.6	73.5	25.4	39.8	52.2	97.7	110.6	74.7	820.2
1890	95.8	189.7	91.2	53.6	89.9	64.1	72.0	20.6	68.8	34.3	17.5	65.1	862.6
1891	173.0	28.4	95.2	18.5	57.5	77.1	51.0	49.2	84.3	32.2	38.8	30.5	735.7
1892	41.9	28.7	14.8	40.3	88.2	26.8	59.4	12.7	141.3	99.0	89.3	129.9	772.3
1893	84.8	28.2	133.3	57.1	60.7	55.6	89.2	57.7	13.9	44.8	103.6	12.0	740.9
1894	54.4	37.1	231.5	46.8	9.4	34.0	17.3	25.9	20.0	70.4	15.5	42.1	604.4
1895	203.5	18.0	0.0	3.1	23.9	24.1	15.6	15.3	58.6	57.6	70.1	58.9	548.7
1896	28.7	164.6	47.6	39.2	77.3	46.7	29.3	53.6	8.2	23.3	29.5	120.1	668.1
1897	100.6	7.1	20.8	0.0	11.5	87.9	82.7	21.9	43.2	48.0	20.8	51.0	495.5
1898	161.4	122.7	0.0	0.5	37.5	111.3	12.7	53.1	22.4	63.9	31.0	58.0	674.5
1899	56.2	28.4	12.2	73.4	2.5	36.8	77.8	86.7	18.0	25.2	53.4	7.6	478.2
1900	39.6	4.1	86.4	18.5	61.7	53.1	38.6	9.8	28.7	8.1	30.7	75.2	454.5
1901	40.1	6.4	71.8	59.6	59.0	31.5	19.3	80.7	10.4	38.4	48.6	6.6	472.4
1902	6.1	12.1	16.8	1.8	5.6	16.7	5.9	61.0	22.9	52.1	40.3	123.8	365.1
1903	7.4	6.6	34.8	66.7	62.0	1.3	43.9	63.0	156.2	35.1	22.8	58.8	558.6
1904	11.4	136.9	79.1	19.1	18.0	0.0	87.8	48.8	8.6	55.9	17.0	37.1	519.7
1905	9.1	84.6	68.1	122.7	66.8	20.8	24.4	33.8	6.6	37.2	20.3	23.2	517.6
1906	50.0	46.1	52.6	19.4	32.0	41.7	18.1	138.2	76.1	46.7	67.6	73.1	661.6
1907	79.0	12.7	96.4	23.8	4.8	49.6	37.5	35.0	18.5	5.4	130.6	90.2	583.5
1908	25.4	158.5	70.4	22.8	20.6	28.1	20.1	21.6	44.0	23.6	105.4	22.1	562.6
1909	22.6	140.7	22.1	34.1	18.6	74.9	15.5	114.8	43.4	41.3	51.0	115.6	694.6
1910	155.7	3.8	68.0	19.3	15.0	65.3	25.4	15.2	28.2	40.9	34.5	71.6	542.9
1911	138.3	92.5	18.6	13.4	29.9	20.8	51.9	41.6	51.3	20.9	118.1	98.8	696.1
1912	19.1	48.2	10.2	4.8	0.0	67.1	93.3	49.1	8.4	59.5	2.5	4.6	366.8
1913	59.7	62.8	58.7	75.9	115.5	31.0	20.3	18.3	44.4	45.4	17.8	21.6	571.4
1914	18.5	77.4	83.3	40.4	41.4	8.9	29.2	0.0	35.2	7.6	102.1	99.8	543.8
1915	18.5	6.9	22.8	16.0	25.2	56.6	32.3	29.7	13.5	40.5	11.9	53.6	327.5
1916	36.8	21.8	5.4	66.0	22.9	119.9	93.5	29.5	44.0	49.6	64.0	101.1	654.5
1917	78.5	27.4	12.2	4.8	4.6	60.3	15.3	38.4	112.6	54.4	93.5	112.4	614.4
1918	75.8	10.4	32.8	18.4	12.2	14.6	39.1	71.1	6.6	24.2	32.6	10.9	348.7
1919	28.5	67.8	6.3	10.4	56.7	4.1	18.8	22.1	10.4	3.6	1.8	93.5	324.0
1920	90.0	42.1	2.3	13.2	20.1	162.9	230.6	39.5	47.2	5.8	64.9	100.6	819.2
1921	43.6	78.2	125.0	143.0	66.9	88.2	57.0	28.7	24.3	34.5	66.6	20.6	776.6
1922	40.7	19.3	0.0	7.9	2.3	38.2	51.5	9.6	21.5	19.0	51.3	125.2	386.5
1923	11.9	2.8	29.7	0.0	3.8	92.3	38.1	7.9	45.0	39.4	21.3	101.5	393.7
1924	39.1	95.8	9.7	46.8	10.9	27.2	31.5	19.3	67.8	41.3	119.6	0.0	509.0
1925	32.3	46.5	26.9	0.0	85.6	29.3	23.3	26.2	7.6	9.7	65.8	24.1	377.3
1926	67.8	22.6	213.7	89.7	74.7	16.3	41.7	8.9	64.2	6.6	0.0	231.0	837.2
1927	56.4	0.0	45.7	67.8	0.0	10.7	0.0	21.9	7.1	56.9	105.4	37.8	409.7
1928	68.9	122.3	66.8	0.0	0.0	42.6	47.8	0.0	0.0	18.3	38.9	1.8	407.4
1929	26.6	109.5	26.2	47.0	0.0	5.3	12.4	47.4	13.7	37.6	20.1	37.3	383.1
1930	74.4	7.4	36.3	13.9	35.8	116.9	77.0	22.9	25.3	87.3	12.2	22.3	531.7
1931	38.8	16.0	141.8	86.3	125.0	80.3	19.8	16.0	12.7	0.0	25.4	38.4	600.5
1932	10.7	0.0	96.1	36.6	8.9	15.0	34.5	15.2	70.5	17.6	62.4	28.2	395.7
1933	40.1	10.9	15.2	81.1	23.6	24.1	70.3	10.6	67.8	64.0	109.4	32.0	549.1

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (HAWTHORNE)

Station Number: 064013 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.64°S · Longitude: 149.43°E · Elevation: 410 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1934	56.2	219.0	0.0	28.7	0.0	20.3	30.0	44.5	35.6	97.9	41.4	43.4	617.0
1935	62.8	21.1	6.1	25.7	15.5	5.3	47.0	23.0	68.1	57.7	5.6	37.5	375.4
1936	99.5	98.2	68.4	11.4	25.9	4.6	100.7	22.4	34.0	11.7	0.0	105.7	582.5
1937	69.1	79.1	48.5	10.2	15.2	61.5	26.0	32.0	12.0	36.6	67.5	33.6	491.3
1938	72.7	46.9	0.0	31.0	38.4	11.2	44.2	56.3	5.3	14.5	21.3	13.2	355.0
1939	34.3	0.0	72.5	94.3	15.5	33.8	22.9	45.4	3.6	44.5	18.8	5.8	391.4
1940	38.1	0.0	10.2	54.6	0.0	8.7	5.8	34.1	53.5	16.8	25.6	81.0	328.4
1941	312.6	20.3	94.3	6.1	24.1	62.2	13.2	22.1	14.0	52.3	23.9	6.3	651.4
1942	40.4	80.5	71.3	2.8	65.5	79.1	89.4	31.0	12.2	28.4	85.1	80.5	666.2
1943	61.5	55.2	3.0	0.0	63.0	24.2	18.8	7.3	25.6	38.6	66.5	30.2	393.9
1944	50.8	21.6	9.7	10.6	67.8	13.5	38.8	109.8	11.2	3.8	6.3	0.0	343.9
1945	82.5	42.3	38.6	39.1	61.5	113.8	27.8	67.5	0.0	35.6	15.5	27.0	551.2
1946	153.1	44.7	17.2	14.3	14.1	14.0	5.1	0.0	35.8	0.5	24.3	27.4	350.5
1947	10.2	170.9	62.9	35.3	31.5	10.2	36.8	36.5	65.5	97.8	69.8	140.5	767.9
1948	62.7	48.5	81.9	29.7	31.2	81.5	3.3	21.6	40.4	10.2	32.1	39.4	482.5
1949	49.1	122.2	57.2	54.8	19.1	44.9	26.2	72.9	75.7	86.8	35.5	27.4	671.8
1950	120.9	121.6	150.7	202.9	48.0	98.1	81.6	49.3	28.8	157.3	176.0	0.0	1235.2
1951	54.1	54.8	58.7	16.8	22.9	50.3	28.5	63.8	9.7	6.9	24.9	48.7	440.1
1952	15.0	61.7	73.2	18.8	18.8	44.6	58.1	161.6	2.5	15.2	14.0	70.6	554.1
1953	27.9	113.0	16.5	93.4	66.9	3.6	9.1	64.9	34.3	32.8	68.1	3.5	534.0
1954	154.9	175.4	0.0	6.1	2.8	37.6	2.0	28.8	29.7	110.9	17.3	28.4	593.9
1955	182.9	285.6	0.0	24.1	49.0	38.9	31.0	61.2	39.9	121.6	89.0	45.3	968.5
1956	114.0	162.2	140.6	53.1	79.4	93.3	58.6	28.2	12.0	80.1	4.1	58.7	884.3
1957	6.6	53.4	52.7	21.6	0.5	14.8	32.4	21.6	0.0	2.3	4.3	87.7	297.9
1958	164.2	126.0	14.5	22.6	94.2	39.9	1.3	29.7	126.0	66.9	18.8	59.3	763.4
1959	59.4	99.9	78.5	53.1	17.0	44.7	40.1	0.0	11.2	61.7	44.5	30.2	540.3
1960	47.6	17.8	21.1	17.0	34.0	1.3	68.7	23.8	37.6	44.7	50.8	41.4	405.8
1961	22.8	89.2	142.5	46.4	0.0	15.4	26.4	72.4	0.3	49.2	87.7	179.8	732.1
1962	76.2	31.8	40.1	58.4	45.9	3.8	44.6	51.1	31.6	78.1	10.2	47.4	519.2
1963	160.5	54.8	35.1	47.5	109.8	67.0	34.0	42.4	43.9	48.9	60.6	97.2	801.7
1964	85.2	26.2	93.3	117.1	18.0	37.9	36.1	24.5	60.5	81.1	28.7	37.1	645.7
1965	10.9	4.1	0.0	6.3	15.5	7.1	11.2	33.5	40.5	74.1	20.8	140.7	364.7
1966	2.3	17.5	76.5	12.7	18.1	22.4	16.5	65.6	41.2	99.1	74.8	36.7	483.4
1967	46.7	10.1	94.5	15.7	26.9	46.1	8.6	25.7	9.4	41.4	1.3	67.5	393.9
1968	174.3	43.4	25.6	8.7	109.7	8.6	29.0	70.1	37.2	15.2	16.5	75.4	613.7
1969	56.8	72.2	60.6	50.8	30.7	46.5	42.3	50.4	56.6	162.8	75.9	21.8	727.4
1970	109.2	39.6	59.5	48.3	25.9	14.8	0.0	19.4	80.5	37.6	100.8	120.7	656.3
1971	282.2	110.9	12.4	15.0	6.4	0.0	75.0	64.8	21.8	8.7	28.8	54.7	680.7
1972	133.4	55.9	19.8	18.3	18.3	19.1	4.3	27.2	25.9	86.5	54.9	55.6	519.2
1973	58.9	135.0	27.7	33.0	48.3	72.6	73.2	81.1	66.8	155.2	78.9	111.8	942.5
1975	59.5	139.7	52.9	13.5	0.0	71.6	24.5	27.5	41.6	59.6	0.5	39.1	530.0
1976	186.1	74.7	55.1	7.0	9.5	29.9	71.6	14.2	46.9	68.0	44.5	14.0	621.5
1977	140.0	107.5	60.0	26.7	111.0	12.0	8.0	16.0	47.0	22.0	37.0	23.5	610.7
1978	151.0	35.0	94.5	1.0	79.0	50.5	47.5	16.0	100.0	14.0	70.0	84.0	742.5
1979	16.0	3.4	69.0	37.0	45.5	47.0	9.0	16.0	57.0	32.2	63.0	4.0	399.1
1980	112.0	34.0	59.0	2.0	87.0	34.4	17.0	26.0	0.0	24.0	0.2	99.0	494.6
1981	38.0	155.0	0.0	0.0	30.8	70.2	44.5	10.2	28.8	87.6	63.0	17.8	545.9
1982	57.4	36.2	196.2	4.4	36.0	3.2	8.0	0.0	4.4	28.0	20.0	60.0	453.8

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (HAWTHORNE)

Station Number: 064013 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.64°S · Longitude: 149.43°E · Elevation: 410 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1983	104.4	36.6	29.8	69.8	157.8	16.2	38.4	32.0	44.0	40.2	70.8	30.2	670.2
1984	215.8	72.6	53.6	72.8	0.0	0.0	91.8	30.6	40.2	38.4	62.8	31.8	710.4
1985	17.6	19.6	31.4	51.6	39.2	76.6	3.2	139.6	29.0	84.4	98.8	100.6	691.6
1986	66.4	5.4	0.0	14.4	4.0	4.0	88.0	49.6	37.2	28.2	63.2	18.2	378.6
1987	86.2	52.0	86.6	0.0	46.6	57.4	16.0	100.2	12.6	29.0	79.8	105.6	672.0
1988	140.4	49.2	0.0	135.2	21.8	23.0	51.0	38.6	74.2	4.0	48.0	98.4	683.8
1989	80.2	45.2	70.6	161.5	130.0	64.6	71.0	12.6	4.6	50.4	53.4	69.6	813.7
1990	120.4	53.6	85.0	183.2	55.0	47.6	74.6	45.2	21.2	47.8	5.0	62.2	800.8
1991	221.8	22.6	22.6	1.4	73.4	126.2	59.2	3.4	22.0	9.4	44.8	110.4	717.2
1992	33.8	117.0	52.4	21.0	11.4	16.4	24.4	43.4	33.4	33.4	90.8	115.6	593.0
1993	28.0	43.0	48.4	0.0	59.4	47.0	99.0	19.4	60.4	142.0	60.6		
1994	13.0	69.8	23.0	14.0	21.0	10.0	21.0	6.4	0.8	10.0	100.8	19.0	308.8
1995	116.0	10.0	0.0	1.4	94.8	16.0	19.0	0.0	64.4	39.6	70.6	67.6	499.4
1996	329.6	12.8	32.6	0.8	57.4	28.4	112.0	66.6	63.0	32.2	36.8	142.0	914.2
1997	165.4	88.0	12.0	0.0	48.4	15.4	25.8	3.8	124.2	91.0	22.0	73.8	669.8
1998	68.8	73.0	0.0	49.8	61.8	56.0	175.0	92.4	76.4	65.8	99.9	13.4	832.3
1999	92.0	34.8	179.4	104.2	6.8	43.6	72.2	45.2	61.4	165.8	98.4	71.6	975.4
2000	29.2	14.6	145.4		104.2	21.8		54.0	11.0	89.8	151.4	63.6	
2001	73.4	34.8	101.0	16.2		26.4	71.6	18.2	22.8			14.2	
2002	31.0	74.2	31.0	22.4	14.4	35.2	0.8	2.1	37.0	10.2	16.0	44.4	318.7
2003	23.8	56.6	49.9	114.0	5.0	35.4	35.0	95.0	13.2	61.2	55.8	31.8	576.7
2004	112.0	86.0	43.6	34.6	36.8	36.0	58.2	44.1	18.6	37.6	56.6	122.2	686.3
2005	52.4	59.6	48.8	0.0	8.4	92.8	29.8	25.0	83.8	77.8	115.0	22.6	616.0
2006	70.4	81.0	14.0	45.2	0.0	25.2	51.4	11.2	13.3	0.0	79.2	29.1	420.0
2007	84.0	43.2	46.2		70.0	116.0	11.2	31.0	1.0	41.8	145.2	161.8	
2008	83.2	120.5	17.2	8.4	24.2	55.4	35.0	59.1	63.4	63.8	111.6	64.8	706.6
2009	22.0	71.4	34.4	37.0	17.2	38.1	12.8	6.8	28.4		19.0	104.8	
2010	135.1	87.7	94.0	31.0	35.6	32.6	103.6	50.0	54.4	64.0	153.1	272.6	1113.7
2011	53.2	7.0	27.4	18.6	43.0	10.6	12.0	31.2	103.2	40.8	103.4		
2012		128.0	111.6	13.2	45.4	41.6	55.8	5.2	27.0	9.8	33.0	42.4	
2013	139.0	41.8	117.4	1.4	16.4	71.0	22.2	3.6	27.4	11.8		17.4	
2014	20.4	83.4	86.4	20.8	18.2	50.2	36.4	30.2	18.0	16.2	11.2	126.0	517.4
2015	78.8	28.2	22.0	75.6	50.6	30.8		24.4	4.2	55.6	52.2	32.0	
2016	69.4	18.5	72.2	32.6	68.4	96.6	62.0	46.8	147.2	66.4	41.0	19.8	740.9
2017	61.8	13.8	161.4	13.2	31.2	16.6	2.6	19.6	4.0	71.0	47.4	62.4	505.0
2018	33.6	63.8	45.1	11.2	10.4	18.4	4.2						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (HAWTHORNE)

Station Number: 064013 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.64°S · Longitude: 149.43°E · Elevation: 410 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	77.1	61.4	54.2	36.4	39.4	41.6	41.4	38.8	37.8	47.5	53.7	61.9	590.0
Lowest	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.9
5th percentile	10.4	4.0	0.0	0.0	0.0	3.7	3.2	1.5	1.8	4.6	3.1	5.1	343.9
10th percentile	15.9	7.0	2.3	1.0	2.8	7.2	7.8	6.8	5.1	8.6	11.0	13.0	365.1
Median	59.6	46.9	47.6	22.5	30.8	35.7	33.2	30.2	29.7	40.8	48.6	51.0	571.4
90th percentile	161.7	129.8	117.4	86.6	87.0	87.3	83.2	72.9	75.7	91.3	105.4	121.0	819.2
95th percentile	184.7	160.4	143.9	115.7	109.8	104.0	93.4	105.0	101.6	106.2	119.0	140.6	914.2
Highest	329.6	285.6	231.5	202.9	157.8	162.9	230.6	161.6	156.2	165.8	176.0	272.6	1235.2

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	96.9	55.5	56.3	43.4	45.7	33.4	36.7	41.5	38.1	55.0	49.0	65.7	617.2
Lowest	2.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.2	4.0	364.7
5th Percentile	12.9	4.6	0.0	0.4	0.0	1.3	3.6	11.2	1.9	10.8	0.8	15.5	384.7
10th percentile	17.3	9.2	0.0	1.8	3.2	3.7	7.3	13.9	4.6	15.0	4.3	18.1	398.1
Median	85.2	45.2	55.1	26.7	30.8	29.9	34.0	32.0	40.2	47.8	54.9	60.0	645.7
90th percentile	176.7	115.7	94.5	120.7	110.0	70.5	74.7	74.1	68.3	89.9	81.4	113.6	801.0
95th percentile	203.9	137.8	123.3	151.0	122.4	72.2	82.8	92.6	78.0	132.8	94.4	132.7	808.9
Highest	282.2	155.0	196.2	183.2	157.8	76.6	91.8	139.6	100.0	162.8	100.8	179.8	942.5

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40226047 Created on Thu 16 Aug 2018 19:27:30 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

BINNAWAY (WATTLE ST)

Station Number: 064004 · State: NSW · Opened: 1901 · Status: Open · Latitude: 31.56°S · Longitude: 149.38°E · Elevation: 408 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1901					57.4	36.6	18.8	102.8	10.5	52.0	45.7	1.5	
1902	4.3	30.8	19.8	11.0	2.5	26.1	13.1	55.9	17.8	41.2	36.3	136.2	395.0
1903	9.7	14.3	26.9	65.3	72.3	9.4	45.5	71.3	144.6	33.8	35.8	91.4	620.3
1904	50.8	148.5	86.1	32.7	24.1	19.3	65.9	55.8	16.1	93.9	36.0	40.2	669.4
1905	8.3	65.4	62.9	159.7	70.8	29.0	37.3	40.4	4.4	33.5	15.6	20.2	547.5
1906	57.4	53.8	53.2	26.8	31.0	46.1	18.9	136.4	91.5	42.5	64.5	49.3	671.4
1907	87.9	10.1	50.4	31.0	6.4	55.7	43.7	42.2	22.1	4.6	133.1	62.7	549.9
1908	36.8	174.3	101.8	33.3	23.1	27.0	20.4	20.3	36.6	24.8	77.1	46.5	622.0
1909	21.4	126.0	42.7	30.7	13.7	75.5	26.2	114.8	33.7	29.9	42.1	100.6	657.3
1910	157.4	3.8	61.5	15.5	21.7	88.3	28.0	14.7	27.2	46.3	49.6	67.5	581.5
1911	140.4	103.5	29.1	1.3	33.8	18.0	44.4	38.4	43.8	16.1	84.7	70.3	623.8
1912	15.5	48.3	16.8	3.3	0.0	69.6	90.9	32.9	9.9	50.6	12.2	23.2	373.2
1913	60.1	54.4	51.4	90.7	123.5	41.4	16.5	17.0	2.5	55.1	19.3	22.7	554.6
1914	9.0	79.3	63.9	25.6	49.2	7.1	35.3	0.0	21.3	14.0	81.1	100.1	485.9
1915	28.0	0.0	3.3	21.8	28.7	40.6	37.3	22.5	15.4	37.0	3.8	26.9	265.3
1916	21.8	30.5	7.8	65.4	20.8	124.5	92.3	35.8	15.3	52.8	53.2	108.2	628.4
1917	81.0	38.8	7.6								123.7	73.2	
1918	91.6	15.2	37.9	37.4	10.5	11.9	37.9	61.7	7.6	14.2	16.8	5.1	347.8
1919	20.3	39.4	4.8	13.8	62.3	7.6	23.9	32.5	2.8	2.8	22.8	70.0	303.0
1920	67.5	35.5	8.6	8.1	16.0	145.9	211.1	45.2	48.5	17.8	56.6	100.9	761.7
1921	60.4	22.1	126.2	139.2	79.7	113.5	86.1	29.2	42.4	13.2	54.6	63.3	829.9
1922	70.0	16.3	0.0	3.3	0.0	44.9	76.7	15.2	29.0	30.7	83.8	177.0	546.9
1923	0.0	0.0	25.4	0.0	3.8	136.2	35.1	3.3	59.1	36.3	49.7	97.0	445.9
1924	65.9	107.0	16.0	50.4	15.2	33.6	27.9	26.7	77.0	64.1	151.7	15.4	650.9
1925	38.4	57.6	30.0	0.0	76.9	65.0	30.7	42.1	7.3	13.1	79.0	49.5	489.6
1926	101.3	6.6	246.4	112.2	87.1	25.4	45.2	28.7	73.4	16.7	0.0	213.1	956.1
1927	79.7	0.0	21.6	65.3	0.0	18.3	0.0	22.3	4.6	72.4	172.5	82.1	538.8
1928	57.0	113.3	63.0	30.7	11.7	64.1	39.6	5.1	0.0	22.3	35.0	5.8	447.6
1929	27.7	154.3	23.9	52.6	2.0	8.4	13.5	50.0	14.5	54.1	33.0	34.7	468.7
1930	75.6	12.4	81.4	22.4	5.6	121.6	83.7	26.7	20.5	101.3	19.7	21.5	592.4
1931	47.8	16.5	172.5	84.1	90.2	80.8	17.4	15.5	11.0	4.6	70.8	72.4	683.6
1932	14.8	21.6	128.6	43.2	10.6	21.5	44.7	21.4	90.4	30.5	69.2	24.6	521.1
1933	38.2	7.1	21.3	72.5	20.3	30.6	61.3	4.6	56.3	88.0	162.6	39.6	602.4
1934	83.5	195.5	0.0	41.6	0.0	19.0	73.0	43.1	52.0	85.6	45.8	75.4	714.5
1935	61.0	17.7	5.6	22.6	17.3	15.8	32.6	29.4	73.9	55.7	9.9	25.5	367.0
1936	106.0	127.4	70.0	9.9	29.5	7.6	93.6	26.7	37.6	8.3	0.8	111.5	628.9
1937	56.1	121.4	65.3	9.4	15.4	62.5	21.1	33.3	17.7	45.5	105.3	34.5	587.5
1938	119.1	24.2	1.3	31.8	43.7	20.4	52.8	43.7	6.9	13.0	40.0	30.7	427.6
1939	74.1	2.0	87.9	75.4	17.5	28.0	24.4	62.9	5.6	38.7	31.9	12.7	461.1
1940	2.3	0.0	11.7	77.3	2.3	8.7	3.6	20.3	54.2	0.5	22.8	86.2	289.9
1941	276.9	34.2	146.3	2.8	42.5	60.7	14.0	19.1	31.5	46.6	25.9	10.4	710.9
1942	57.2	54.6	24.4	1.5	63.4	74.2	82.6	25.5	32.6	39.2	87.9	85.4	628.5
1943	67.3	10.2	2.3	58.6	46.1	39.7	17.6	30.3	30.8	40.9	65.6	27.1	436.5
1944	45.9	54.0	21.5	10.2	48.5	20.8	38.4	105.5	12.2	8.9	13.7	0.0	379.6
1945	111.6	43.9	56.1	50.8	59.4	124.3	32.4	68.8	0.0	29.5	18.3	28.2	623.3
1946	127.0	14.0	21.1	9.9	10.6	15.7	5.3	1.0	31.2	3.8	22.9	17.6	280.1
1947	8.3	233.5	72.9	23.1	31.8	12.5	37.3	37.5	67.3	86.6	86.2	164.5	861.5
1948	74.0	48.0	78.4	44.5	38.5	95.4	9.1	23.6	40.5	10.5	27.6	36.0	526.1

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (WATTLE ST)

Station Number: 064004 · State: NSW · Opened: 1901 · Status: Open · Latitude: 31.56°S · Longitude: 149.38°E · Elevation: 408 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1949	13.1	127.4	83.3	66.1	23.4	51.3	23.6	61.7	98.3	79.7	55.1	15.5	698.5
1950	144.8	155.7	25.9	211.9	43.0	113.0	69.0	48.1	29.4	124.2	192.3	0.0	1157.3
1951	113.0	79.3	48.8	16.0	18.2	50.6	24.7	53.3	14.2	7.9	21.6	52.6	500.2
1952	11.2	55.3	122.5	34.8	22.6	46.6	50.8	132.3	6.6	50.0	10.4	94.4	637.5
1953	38.6	119.3	4.1	45.5	72.2	6.6	11.1	65.6	28.9	29.7	75.2	21.0	517.8
1954	137.0	167.5	0.0	10.4	0.5	36.8	5.8	25.4	23.1	96.1	29.6	29.5	561.7
1955	192.6	263.4	0.5	28.8	50.1	40.2	35.4	58.6	35.1	131.5	68.2	46.9	951.3
1956	128.2	146.5	136.0	45.4	74.9	77.3	67.3	40.0	10.0	80.5	4.6	60.7	871.4
1957	32.0	62.5	37.8	42.5	0.8	2.5	26.0	31.5	2.8	2.0	3.3	76.3	320.0
1958	139.8	104.9	14.7	38.5	82.3	34.1	15.0	37.1	116.3	57.4	5.6	45.4	691.1
1959	58.6	122.8	96.4	89.5	15.2	35.6	39.5	1.0	6.3	56.9	46.7	71.7	640.2
1960	73.3	13.2	22.3	12.0	33.6	3.5	47.9	27.3	33.0	31.4	49.0	75.2	421.7
1961	23.6	116.6	122.9	43.5	2.5	16.7	27.4	69.6	0.5	40.4	99.6	183.9	747.2
1962	95.2	33.3	29.5	69.4	38.8	2.5	51.1	44.9	42.7	96.5	11.9	55.8	571.6
1963	231.7	42.6	38.2	37.4	98.5	59.0	24.3	38.9	41.4	43.2	63.1	100.7	819.0
1964	64.3	15.0	57.1	97.5	21.6	41.0	28.5	22.4	60.2	77.9	15.9	30.9	532.3
1965	12.7	6.9	0.0	7.4	7.1	6.7	14.6	43.2	43.7	102.4	33.6	138.3	416.6
1966	4.6	9.2	85.7	30.2	15.3	28.0	14.3	74.0	37.9	73.4	68.2	46.0	486.8
1967	30.5	36.6	123.9	7.6	22.9	46.9	8.9	17.0	12.7	82.5	0.0	51.8	441.3
1968	191.7	39.1	36.4	3.8	92.6	8.4	24.7	78.0	20.4	12.2	16.5	73.9	597.7
1969	68.0	100.2	56.7	49.3	32.3	57.2	40.8	67.8	39.9	200.0	80.0	19.4	811.6
1970	171.7	39.6	68.3	51.8	3.6	11.4	0.0	14.4	75.2	22.9	82.3	118.1	659.3
1971	193.8	123.6	23.9	6.8	7.9	0.5	70.4	61.2	18.7	1.0	42.1	86.1	636.0
1972	167.3	103.4	24.4	17.3	21.3	19.6	4.1	14.5	23.7	107.0	57.9	19.9	580.4
1973	90.2	166.8	23.1	23.9	42.4	55.1	49.6	72.1	59.7	161.8	67.0	77.6	889.3
1974	202.4	20.1	10.0	72.8	17.0	1.4	22.2	29.4	36.8	62.4	44.8	0.0	519.3
1975	63.4	126.6	32.2	15.9	4.4	87.4	16.6	23.0	48.4	67.6	6.2	29.6	521.3
1976	240.5	72.2	57.0	5.0	7.8	35.0	68.8	25.3	49.1	88.6	36.8	33.2	719.3
1977	75.6	152.0	103.6	35.0	138.2	19.4	3.0	17.0	30.6	22.0	31.2	7.0	634.6
1978	147.5	28.5	126.0	2.0	64.0	42.5	40.0	15.4	76.4	14.0	73.9	74.0	704.2
1981	46.2	157.0	0.0	0.0	20.6	48.4	29.2	16.0	26.0	90.0	81.0	24.0	538.4
1982	49.4	33.5	202.4	0.0	32.6	0.0	3.6	0.0	6.4	28.2	25.2	63.0	444.3
1983	96.4	48.6	21.6	77.6	197.0	15.9	39.4	49.4	55.0				
1984	236.6	59.8	24.8	67.0	0.0	0.0	97.0	38.6	35.4	54.0	52.6	35.8	701.6
1985	0.0	40.8	44.0	78.0	35.0	48.6	5.0	106.0	35.8	91.2	79.8	73.2	637.4
1986	61.2	3.8	8.2	14.0	9.9	3.2	67.0	56.9	43.8	37.4	93.4	10.4	409.2
1987	78.8	29.0	104.6	1.2	33.0	50.6	19.2	123.4	13.0	33.8	81.6	97.8	666.0
1988	154.0	57.2	6.6	170.8	37.8	26.8	54.1	30.3	66.4	4.4	47.2	109.3	764.9
1989	33.2	45.8	78.6	133.2	132.6	62.0	48.9	37.6	1.9	69.0	55.0	34.5	732.3
1990	96.2	106.0	83.8	242.6	53.4	26.4	63.0	38.0	24.0	37.0	7.2	80.4	858.0
1991	209.8	49.8	22.5	3.0	93.1	123.4	56.8	5.8	18.6	8.2	34.2	141.0	766.2
1992	35.0		47.8	38.8	16.2	15.0	24.4	46.8	32.8	26.4	64.1	88.4	
1993	59.0	42.2	46.2	1.2	47.8	49.2	98.8	20.6	64.4	136.4	51.6	60.6	678.0
1994	110.0	63.2	87.2	12.4	9.8	9.0	20.2	13.0	1.4	15.8	64.8	25.6	432.4
1995	132.4	17.0	0.0	3.4	100.0	18.6	17.0	0.0	70.8	32.6	88.6	71.6	552.0
1996	281.0	7.2	42.4	1.2	60.5	30.8	115.0	69.6	72.6	37.4	24.0	167.9	909.6
1997	158.0	107.0	13.2	2.6	58.5	37.5	25.0	5.0	113.9	71.5	30.3	135.9	758.4
1998	89.7	44.4	0.0	50.3	63.2	72.4	191.6	117.4	78.9	77.5	126.8	30.9	943.1

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (WATTLE ST)

Station Number: 064004 · State: NSW · Opened: 1901 · Status: Open · Latitude: 31.56°S · Longitude: 149.38°E · Elevation: 408 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1999	45.4	36.0	195.7	157.1	5.6	43.6	112.1	39.9	62.4	156.2	132.6	78.4	1065.0
2000	42.0	16.2		73.3	118.7	32.5	32.3	61.4	15.6	89.0	270.9	66.3	
2001	92.0	49.6	105.4	20.2	25.8	21.2	85.0	19.0		60.4	44.4	41.0	
2002	22.0	71.4	25.0	31.6	17.0	39.6	3.2	4.1	49.5	4.8	21.6	50.9	340.7
2003	28.6	44.4	63.0	108.4	4.4	36.5	19.5	104.3	10.8	56.4	50.0	31.4	557.7
2004		71.4	46.4	38.6	38.2	35.0	59.6	51.6	38.6	37.0		112.4	
2005	60.0	85.4	46.8	0.0	23.6	112.8	25.2	20.6	92.4	89.6	110.5	30.2	697.1
2006	99.0	75.4	29.6	66.1	0.0	26.8		7.2	12.0	1.0	52.2	31.0	
2007	35.9	69.8		20.0	71.0	142.6	6.6	33.9	2.0	32.8	105.6	233.4	
2008	91.2	122.2	26.4		19.6	47.8	36.4	60.2		42.2	121.2	83.2	
2009	14.2	58.4	24.2	54.6	20.0	56.2	15.8	6.8	42.0	24.4		144.0	
2010	166.0	94.8	100.6	26.0	24.8	32.2	106.4	53.6	50.2	52.0	140.0	272.0	1118.6
2011	84.4	16.7	40.8	31.2	38.6	13.2	9.2	37.0	87.0	45.4	128.5	102.0	634.0
2012	124.3	113.2	123.6	9.0	16.6		51.2	5.6	15.4	7.2	26.8	40.4	
2013	93.9	29.2	150.2		20.8	84.6	26.0	3.3	33.8	5.4	32.6	75.4	
2014	23.4	67.0	127.2	25.8	18.0	60.0	31.6	34.0	21.0	2.4	11.2	129.2	550.8
2015	79.6	30.4	30.6	94.6	61.2	35.4	44.6	26.4	4.2	41.4	55.2	45.2	548.8
2016	99.6	36.4	26.8	69.9	21.8	79.4	45.4	55.6	155.8	63.8	17.0	15.8	687.3
2017	29.9	21.2	151.6	3.8	27.8	16.6		18.2	4.6	72.8	28.8	51.8	
2018	75.4	48.8		2.6	8.4	13.6	2.2						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

BINNAWAY (WATTLE ST)

Station Number: 064004 · State: NSW · Opened: 1901 · Status: Open · Latitude: 31.56°S · Longitude: 149.38°E · Elevation: 408 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	81.6	64.1	54.6	42.6	36.5	42.6	40.9	39.7	36.9	48.5	56.7	65.6	609.9
Lowest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	265.3
5th percentile	8.3	3.8	0.0	1.2	0.3	3.0	3.6	3.3	2.3	3.4	5.2	6.6	340.7
10th percentile	13.4	9.5	4.2	2.6	2.9	7.6	7.1	5.7	4.6	5.8	11.3	15.6	395.0
Median	67.8	48.5	39.5	31.1	23.6	35.2	32.4	33.6	31.4	40.9	48.1	54.2	602.4
90th percentile	166.9	140.8	125.8	90.6	81.3	88.0	84.7	71.9	76.3	93.4	120.1	133.9	858.0
95th percentile	205.0	160.4	148.1	135.9	98.9	122.2	97.7	105.7	91.9	113.9	136.2	165.7	943.1
Highest	281.0	263.4	246.4	242.6	197.0	145.9	211.1	136.4	155.8	200.0	270.9	272.0	1157.3

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	104.5	64.8	56.9	48.6	42.5	29.3	33.4	43.7	36.6	63.7	50.1	62.0	631.1
Lowest	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.0	0.0	409.2
5th Percentile	7.4	7.7	2.3	0.4	2.9	0.2	3.2	14.4	3.5	6.7	6.5	8.0	424.0
10th percentile	20.3	13.3	7.7	1.8	4.2	1.1	4.0	15.1	10.8	13.3	10.0	15.8	443.1
Median	84.5	44.2	41.1	32.6	27.6	26.6	28.0	38.3	37.3	62.4	52.6	55.8	636.0
90th percentile	211.2	134.2	123.2	108.2	108.7	57.7	67.5	75.2	62.1	104.2	81.9	112.8	814.6
95th percentile	234.9	155.2	125.3	157.6	136.2	61.0	69.8	96.2	72.1	145.4	90.1	132.2	846.3
Highest	240.5	166.8	202.4	242.6	197.0	87.4	97.0	123.4	76.4	200.0	99.6	183.9	889.3

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.



Monthly Rainfall (millimetres)

COOLAH (BINNIA ST)

Station Number: 064025 · State: NSW · Opened: 1885 · Status: Open · Latitude: 31.82°S · Longitude: 149.72°E · Elevation: 495 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1885	75.2	111.0	43.2	38.1	24.4	129.0	7.6	6.4	18.8	16.0	37.6	51.8	559.1
1886	47.7	15.5	23.2	98.8	83.9	35.3	87.2	156.9	23.1	82.7	188.9	113.8	957.0
1887	223.5	190.1	79.1	48.8	7.6	87.1	81.1	142.0	18.2	73.0	73.9	144.0	1168.4
1888	17.6	64.8	14.4	1.8	40.6	12.2	24.3	8.1	53.8	16.2	65.9	23.1	342.8
1889	31.5	76.5	72.7	124.7	208.1	72.8	38.6	35.6	39.4	103.1	82.6	83.2	968.8
1890	67.6	187.9	107.3	37.9	86.0	90.1	84.8	29.6	96.1	36.1	33.6	105.5	962.5
1891	139.8	41.9	90.7	18.8	57.6	114.4	51.3	54.2	101.8	27.9	53.4	50.1	801.9
1892	29.9	32.0	22.1	55.6	103.2	30.0	72.2	24.4	179.1	128.8	51.5	125.0	853.8
1893	92.7	28.4	200.1	78.8	64.2	80.2	80.3	71.4	26.5	68.4	67.3	41.4	899.7
1894	23.6	33.5	213.3	38.6	9.9	67.6	52.7	29.4	38.1	81.7	28.2	77.5	694.1
1895	171.3	35.1	0.0	4.7	20.9	30.0	20.7	24.3	76.9	60.2	90.9	92.3	627.3
1896	49.3	154.2	73.2	26.6	75.7	67.4	30.4	56.9	8.4	35.1	29.6	88.2	695.0
1897	100.3	12.2	26.4	3.0	36.3	78.8	92.4	28.5	41.6	64.9	10.4	54.0	548.8
1898	176.0	143.3	0.0	1.0	60.7	126.7	21.9	84.3	71.0	69.1	16.8	31.7	802.5
1899	65.5	5.1	19.8	56.3	8.8	46.3	65.0	123.3	20.6	29.8	66.0	3.8	510.3
1900	106.8	26.5	97.0	34.3	50.0	63.8	56.4	26.3	47.7	10.4	27.2	85.1	631.5
1901	36.1	5.3	66.7	68.9	58.0	46.1	19.5	109.3	18.3	38.1	48.0	16.8	531.1
1902	6.1	14.0	24.7	7.1	1.5	28.0	13.6	93.8	36.0	64.4	42.2	143.8	475.2
1903	10.1	6.6	52.9	81.0	55.7	11.0	40.7	61.7	142.7	100.3	67.6	90.7	721.0
1904	36.6	191.3	115.9	93.4	21.8	26.4	103.3	54.8	12.7	58.4	20.0	60.0	794.6
1905	12.5	63.5	62.3	82.6	81.5	26.7	44.7	47.0	3.0	24.5	20.4	22.4	491.1
1906	23.1	26.2	52.3	19.1	22.5	48.4	18.8	94.0	99.1	66.4	92.2	53.8	615.9
1907	33.6	18.3	58.8	31.7	8.7	47.1	41.6	44.2	23.9	13.0	111.2	66.5	498.6
1908	74.8	139.4	84.3	34.6	29.4	37.2	26.6	21.8	48.7	18.8	62.0	39.9	617.5
1909	99.9	99.1	25.3	43.2	20.2	95.0	15.0	101.0	34.2	59.5	43.1	152.6	788.1
1910	233.4	0.0	60.6	23.2	22.4	82.0	40.0	14.9	33.0	57.3	23.7	80.0	670.5
1911	162.7	130.8	129.3	17.2	30.4	31.8	98.0	35.3	59.6	17.5	120.7	94.5	927.8
1912	23.1	38.4	3.5	9.9	0.8	68.8	175.8	46.2	9.5	61.5	8.0	3.8	449.3
1913	23.1	68.1	107.0	76.5	144.6	44.8	17.3	25.4	44.1	75.6	16.0	24.9	667.4
1914	46.3	89.6	103.6	43.0	36.9	10.4	35.1	0.0	29.7	14.8	55.6	100.4	565.4
1915	13.8	8.2	33.0	21.7	28.2	44.8	45.7	30.0	29.1	49.0	7.6	45.6	356.7
1916	16.0	30.8	13.0	90.4	17.3	144.9	99.3	61.3	48.6	67.4	72.7	138.9	800.6
1917	80.3	34.9	5.6	1.5	8.6	71.1	39.4	51.1	151.7	71.3	108.8	68.2	692.5
1918	106.3	16.8	18.8	33.9	17.4	6.1	37.9	85.2	8.9	7.8	9.2	5.8	354.1
1919	58.5	56.1	11.2	15.8	56.5	4.8	17.7	23.6	13.5	10.2	3.1	82.6	353.6
1920	46.3	42.2	5.1	8.2	27.9	191.4	232.0	56.7	59.0	9.7	60.3	110.1	848.9
1921	88.9	40.7	106.8	113.3	93.0	89.4	98.6	32.5	41.6	42.0	76.7	72.6	896.1
1922	45.0	24.7	0.0	10.9	6.6	19.4	43.9	12.2	18.8	31.6	6.0	76.3	295.4
1923	41.3	0.0	19.6	0.0	8.6	106.7	41.8	18.3	56.2	43.9	37.6	57.6	431.6
1924	49.7	98.0	14.2	41.4	6.8	42.5	36.1	43.2	86.5	47.0	128.5	98.8	692.7
1925	23.4	25.4	33.3	1.3	30.2	36.6	37.7	21.4	16.3	16.8	66.8	30.3	339.5
1926	68.8	14.5	221.6	105.7	76.5	28.2	27.7	30.5	64.0	10.0	21.1	274.4	943.0
1927	42.9	0.0	21.9	53.3	4.3	24.6	1.8	24.7	15.8	53.4	124.3	43.6	410.6
1928	60.7	184.3	115.8	23.4	12.9	37.5	49.5	5.3	7.7	51.6	38.4	26.6	613.7
1929	28.4	69.7	20.4	61.4	10.2	8.4	11.6	55.5	22.1	48.6	55.5	39.4	431.2
1930	55.9	24.2	39.2	35.7	30.5	123.6	83.4	33.6	27.5	111.4	28.0	35.6	628.6
1931	38.4	20.6	113.5	113.3	113.7	107.2	46.6	18.3	13.9	13.2	77.8	68.8	745.3
1932	12.9	29.1	120.3	39.6	9.4	32.1	39.8	35.0	104.8	18.6	66.6	36.8	545.0

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COOLAH (BINNIA ST)

Station Number: 064025 · State: NSW · Opened: 1885 · Status: Open · Latitude: 31.82°S · Longitude: 149.72°E · Elevation: 495 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1933	108.5	3.5	22.9	77.5	23.3	36.5	89.7	10.5	70.3	83.5	111.3	35.9	673.4
1934	45.4	145.9	0.0	43.0	0.0	26.4	84.5	48.0	51.2	92.7	31.0	96.4	664.5
1935	87.2	57.1	7.7	36.4	22.7	32.6	20.8	23.6	53.0	64.5	10.7	39.1	455.4
1936	81.8	113.1	110.2	17.3	19.4	15.9	100.5	40.0	40.8	11.7	3.3	78.4	632.4
1937	68.2	151.4	37.3	15.1	17.2	39.6	21.1	55.3	24.7	36.7	67.1	18.1	551.8
1938	61.7	23.4	0.0	35.1	48.1	12.5	54.1	89.1	5.9	39.5	48.5	16.0	433.9
1939	38.4	13.3	105.3	173.6	32.3	49.7	22.1	53.9	5.8	57.2	53.6	28.7	633.9
1940	0.0	0.0	13.0	81.1	19.4	14.8	1.5	22.9	71.4	8.9	26.7	143.4	403.1
1941	264.9	30.5	59.7	7.6	26.2	55.1	19.0	22.3	37.1	56.9	35.4	7.1	621.8
1942	68.0	56.6	39.7	2.8	64.5	98.9	84.9	34.0	44.2	18.5	86.9	97.8	696.8
1943	34.6	17.1	3.0	75.7	77.1	50.4	25.7	52.4	52.3	15.3	95.3	81.5	580.4
1944	43.8	39.2	20.5	15.2	46.0	26.9	59.2	117.1	16.2	13.8	20.8	2.8	421.5
1945	78.0	88.2	57.9	55.1	69.3	157.7	27.5	80.2	0.3	44.7	23.9	50.8	733.6
1946	121.2	23.0	8.4	41.6	19.6	29.4	14.7	0.8	41.5	9.6	31.3	63.7	404.8
1947	27.6	149.4	36.6	25.9	33.0	16.0	54.1	41.9	76.2	98.2	66.6	222.7	848.2
1948	52.1	141.1	35.9	36.9	43.7	73.2	8.1	49.6	43.2	18.3	37.2	63.5	602.8
1949	46.2	114.9	47.5	46.2	37.6	41.9	26.1	77.0	70.1	62.9	52.1	40.9	663.4
1950	110.6	139.9	37.1	180.4	49.6	107.3	92.5	58.7	50.8	137.1	222.6	0.3	1186.9
1951	41.9	34.5	56.0	16.2	36.6	72.1	58.7	72.1	42.5	16.2	33.8	41.5	522.1
1952	36.1	39.4	76.5	62.6	53.7	91.3	67.2	106.0	24.5	49.9	27.5	80.0	714.7
1953	41.6	80.4	3.1	28.5	83.3	7.2	15.3	87.0	28.7	36.3	72.4	31.0	514.8
1954	118.9	175.8	0.0	10.0	7.9	58.2	5.3	18.8	30.2	108.4	63.5	33.1	630.1
1955	168.2	379.4	1.3	40.7	57.2	53.1	39.5	95.0	56.4	130.4	85.6	38.8	1145.6
1956	62.0	218.0	102.2	92.2	86.9	99.6	79.5	53.7	25.1	84.9	18.1	22.6	944.8
1957	26.7	71.2	35.3	29.5	2.3	20.1	41.3	46.7	3.5	4.4	4.6	95.6	381.2
1958	87.2	54.1	23.4	29.0	89.5	53.3	25.5	54.9	141.5	75.5	26.4	69.0	729.3
1959	109.8	87.5	113.2	30.3	16.8	44.8	48.3	0.5	18.2	84.7	79.2	38.7	672.0
1960	65.6	67.4	24.4	13.6	42.5	2.8	80.8	48.1	67.1	77.7	77.2	71.5	638.7
1961	43.5	60.3	90.4	58.9	2.5	21.6	36.5	84.9	2.8	32.6	143.7	128.3	706.0
1962	110.9	28.0	23.9	34.5	63.9	4.6	62.2	61.5	41.3	81.0	25.2	65.3	602.3
1963	199.7	58.3	56.3	87.7	118.2	83.6	47.2	70.3	39.3	27.4	53.9	99.4	941.3
1964	83.0	26.9	50.3	85.9	34.8	31.7	59.3	41.4	76.5	84.8	34.7	38.3	647.6
1965	2.1	9.0							41.4				
1966					14.2	26.4	16.7	80.7	42.1	98.4	75.3	64.0	
1967	8.6	28.4	99.1	25.4	35.6	49.7	11.7	33.1	17.5	70.4	5.4	62.7	447.6
1968	185.3	43.5	33.1	10.7	115.5	15.4	27.9	89.3	42.8	22.1	20.6	59.6	665.8
1969	37.6	103.8	61.5	73.1	36.3	53.1	64.1	55.9	61.7	163.0	115.9	18.8	844.8
1970	78.9	67.2	56.4	53.9	21.1	32.3	1.8	24.2	88.4	53.6	112.1	189.7	779.6
1971	197.4	143.3	8.4	19.5	16.7	3.5	77.5	87.5	42.2	10.8	55.6	82.2	744.6
1972	129.2	50.6	20.4	26.7	19.0	18.1	4.3	24.9	25.7	94.8	130.7	27.7	572.1
1973	46.1	184.1	44.8	34.4	39.6	72.6	57.3	77.9	76.0	148.1	97.9	66.3	945.1
1974	240.8	23.0	30.0	78.0	31.0	15.0	51.0	43.0	51.0	59.0			
1975				6.9	6.6	110.8	28.0	37.0	32.2	84.0	6.0	23.2	
1976	239.8	109.9	82.8	5.8	28.8	51.7	65.0	27.2	72.6	116.0	60.5	47.4	907.5
1977	85.6	99.8	73.2	10.4	146.3	37.8	9.8	25.2	45.0	23.4	43.0	21.8	621.3
1978	153.8	7.0	102.7	2.8	79.2	60.0	63.7	21.0	97.2	26.0	72.0	130.9	816.3
1979	41.5	0.0	175.2	30.0	66.6	43.6	26.6	29.0	85.1	48.0	47.7	14.8	608.1
1980	74.0	63.8	41.6	1.6	66.0	52.8	29.6	33.8	0.0	33.8	1.4	54.8	453.2

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COOLAH (BINNIA ST)

Station Number: 064025 · State: NSW · Opened: 1885 · Status: Open · Latitude: 31.82°S · Longitude: 149.72°E · Elevation: 495 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1981	50.2	66.0	0.0	0.0	45.0	97.2	71.8	15.8	39.0	145.6	65.1	23.2	618.9
1982	30.2	85.8	215.6	2.0	32.0	11.0	9.4	0.0	8.8	13.0	18.4	31.6	457.8
1983	76.4	90.0	34.2	88.0	160.0	16.0	49.0	34.6	51.6	28.6	92.4	65.2	786.0
1984	224.2	77.4	34.2	70.0	1.0	5.8	120.4	36.0	43.9	21.6	44.6	30.2	709.3
1985	3.0	28.4	20.4	48.4	16.2	60.8	11.0	128.2	43.2	57.0	87.2	62.0	565.8
1986	57.0	8.0	8.6	41.2	12.2	6.0	117.6	63.4	40.6	76.2	88.6	13.0	532.4
1987	97.0	45.8	109.0	6.2	68.0	58.6	31.0		15.8	33.0	50.4	77.6	
1988	96.8	43.0	1.8	121.4	45.3	27.6	49.8	49.5	88.2	3.0	57.0	87.2	670.6
1989	56.8	28.0	91.5	177.4	108.8	88.4	70.2	17.6	2.6	44.2	97.0	40.0	822.5
1990	67.4	121.4	80.2	159.0	42.2	33.2	58.8	66.8	37.0	63.8	3.8	41.8	775.4
1991	214.6	10.6	2.4	0.0	80.0	99.0	74.0	11.6	34.0	14.2	40.2	111.0	691.6
1992	15.0	282.0	45.0	27.0	8.6	15.8	27.6	60.8	42.2	33.9	138.8	93.8	790.5
1993	47.6	60.4	33.4	3.0	41.2	48.8	93.5	27.6		186.6	82.6	61.8	
1994	10.8	86.8	64.0	13.0	6.0	6.0	41.4	19.6	5.4	11.0	86.4	31.2	381.6
1995	131.4	4.0	1.0	0.0	85.6	27.2	13.0	0.0	84.6	37.4	76.6	106.4	567.2
1996	172.8	36.4	29.8	5.0	48.9	37.6	77.2	94.0	64.4	42.6	50.9	113.4	773.0
1997	133.6	97.8	4.4	0.0	50.6	21.6	31.6	4.8	116.5	68.0	16.6	96.1	641.6
1998	74.2		0.0	52.0	54.2	90.1	195.2	95.4	74.8	81.2	73.8	31.4	
1999	88.6	24.8	140.6	92.2	8.2	55.8	40.6	61.2					
2000	63.9	14.0	117.5	107.0	96.2	37.4	41.0	61.9	18.0	82.0	202.9	70.8	912.6
2001	21.4	39.3	98.8	28.6		22.0	63.5	39.0		87.4	47.7	57.2	
2002	19.4	107.0	42.4	9.0	15.2	29.8	1.4	15.6	46.0	6.0	29.7	67.4	388.9
2003	14.2	43.4	8.8	105.4	1.8	46.2	33.0	106.0	18.4			51.4	
2004	42.8	97.4	51.2	30.2	35.4	28.4	62.0	57.6	34.2	27.4	46.8	158.8	672.2
2005	28.6	62.8	55.0	0.0	1.6	118.8	41.8	34.6	107.8	67.4	142.2	34.4	695.0
2006	43.2	36.8	1.6	62.6			37.2	11.6	10.4	1.0	57.2	30.0	
2007	48.8	46.0	99.0	36.8	17.0	149.6	12.0	40.0	2.4	53.4	29.2	157.2	691.4
2008	69.8	66.5	8.6	5.2	33.4	63.6	25.6	14.2	107.4	64.8	80.8	84.6	624.5
2009	13.0	75.2	28.2	16.4	17.4	69.2	24.2	3.8	21.2	9.4	29.2	79.6	386.8
2010	115.2	12.6	117.8	23.8	50.7	18.2	101.0	60.0	59.8	37.6	150.8	235.0	982.5
2011	15.2	15.2	39.6	26.8	55.6	7.0		29.6	111.6	30.4			
2013		17.8	58.0	2.4	17.4	76.4	29.4	4.8	22.8	17.6	75.6	26.2	
2014	30.8	79.8	125.6	19.0	29.0	39.6	42.6	27.8	21.0	4.4	21.6	150.0	591.2
2015	77.6	28.8	29.6	88.6	43.2	26.4	50.0	44.4	7.2	61.6	89.2	72.4	619.0
2016	86.2	36.4	9.0	0.0					23.2	73.2	47.2	58.0	
2017	65.0	16.4	171.2	19.4	24.0	16.6	2.2	24.2	4.4	43.2	70.8	71.0	528.4
2018	70.4	22.2	43.6	6.2	11.8	2.0	2.4						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COOLAH (BINNIA ST)

Station Number: 064025 · State: NSW · Opened: 1885 · Status: Open · Latitude: 31.82°S · Longitude: 149.72°E · Elevation: 495 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	74.2	64.7	54.6	42.2	42.3	50.6	48.5	47.0	45.1	52.1	59.4	68.4	656.8
Lowest	0.0	0.0	0.0	0.0	0.0	2.0	1.4	0.0	0.0	1.0	1.4	0.3	295.4
5th percentile	11.6	4.5	0.0	0.5	2.4	6.0	4.8	4.8	3.9	9.1	6.0	13.6	377.5
10th percentile	15.2	8.9	2.9	2.4	7.4	10.9	11.5	11.6	8.3	10.7	13.9	22.2	408.9
Median	59.6	43.2	39.7	31.7	33.0	42.2	41.2	40.0	40.8	48.0	53.6	62.3	640.2
90th percentile	168.5	143.6	115.8	92.2	86.2	100.3	92.4	93.8	89.9	98.2	111.6	129.1	917.2
95th percentile	207.9	184.2	135.5	113.3	111.7	121.4	100.8	106.0	107.6	123.7	136.4	151.7	957.8
Highest	264.9	379.4	221.6	180.4	208.1	191.4	232.0	156.9	179.1	186.6	222.6	274.4	1186.9

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	97.0	60.7	60.9	48.6	50.8	41.0	45.8	48.6	45.0	60.8	60.9	59.5	689.7
Lowest	2.1	0.0	0.0	0.0	1.0	3.5	1.8	0.0	0.0	3.0	1.4	13.0	447.6
5th Percentile	5.0	7.3	3.8	1.7	4.1	5.1	6.3	16.4	2.7	11.7	4.4	16.2	454.1
10th percentile	23.7	8.7	8.5	2.6	11.1	6.0	9.7	20.0	8.2	19.9	5.8	20.9	487.6
Median	77.7	54.5	50.3	34.5	36.3	33.2	49.0	39.2	42.2	53.6	56.3	57.2	670.6
90th percentile	207.1	113.3	105.2	98.0	116.0	84.6	72.9	85.7	85.4	121.9	113.2	108.1	882.4
95th percentile	234.3	135.6	155.3	145.8	135.1	93.7	101.6	88.7	88.3	147.1	125.5	130.0	934.5
Highest	240.8	184.1	215.6	177.4	160.0	110.8	120.4	128.2	97.2	163.0	143.7	189.7	945.1

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40225999 Created on Thu 16 Aug 2018 19:24:18 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

COONABARABRAN AIRPORT AWS

Station Number: 064017 · State: NSW · Opened: 2001 · Status: Open · Latitude: 31.33°S · Longitude: 149.27°E · Elevation: 645 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2001								17.8	13.0	79.0	97.8	24.0	
2002	30.8	86.2	42.8	13.8	27.2	66.0	3.0	6.2	53.2	9.0	14.8	54.4	407.4
2003	30.2	90.8	31.2	147.8	4.4	32.2	33.0	115.4	4.0	62.8	28.0	26.6	606.4
2004	85.6	202.8	49.8	43.4	43.6	19.8	44.8	46.8	47.4	38.4	64.0	115.8	802.2
2005	105.6	16.6	53.0	3.0	25.2	91.6	27.2	34.8	102.0	85.0	63.4	13.2	620.6
2006	48.6	61.8	29.0	54.4	0.0	30.2	93.0	13.6	13.6	1.2	45.2	42.6	433.2
2007	63.8	21.0	19.4	2.0	13.8	93.0	6.6	20.0	1.2	31.6	95.0	279.8	647.2
2008	95.2	119.8	23.2	17.4	38.4	47.8	50.4	55.0	85.4	95.2	147.8	103.8	879.4
2009	29.6	128.2	47.0	41.4	27.8	53.0	24.6	16.4	58.2	50.2	9.6	169.6	655.6
2010	134.6	128.6	75.8	28.4	32.8	38.0	116.6	83.4	52.4	86.6	148.6	292.2	1218.0
2011	33.6	2.8	44.6	24.4	51.0	14.8	2.6	41.4	84.8	45.8	99.2	175.2	620.2
2012	160.2	141.4	126.0	17.2	58.4	48.6	83.2	4.6	53.2	15.8	28.6	37.6	774.8
2013	99.4	60.6	119.6	0.2	33.2	86.2	37.2	1.8	25.8	8.6	33.4	15.6	521.6
2014	10.0	105.0	135.8	15.2	16.0	76.2	30.4	94.8	18.6	8.0	16.4	75.6	602.0
2015	95.0	23.0	47.8	136.6	66.4	57.4	36.0	19.2	13.4	25.0	77.0	44.6	641.4
2016	108.8	10.2	26.6	32.4	83.6	121.8	40.6	39.4	249.6	82.4	16.0	22.0	833.4
2017	87.8	14.2	205.2	10.4	17.6	14.0	0.4	19.2	3.8	57.0		67.4	
2018	54.8	41.6	41.8	3.8	14.4	20.2	4.0						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COONABARABRAN AIRPORT AWS

Station Number: 064017 · State: NSW · Opened: 2001 · Status: Open · Latitude: 31.33°S · Longitude: 149.27°E · Elevation: 645 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Lowest	10.0	2.8	19.4	0.2	0.0	14.0	0.4	1.8	1.2	1.2	9.6	13.2	407.4
Highest	160.2	202.8	205.2	147.8	83.6	121.8	116.6	115.4	249.6	95.2	148.6	292.2	1218.0

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40226256 Created on Thu 16 Aug 2018 19:37:31 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

COONABARABRAN (SHOWGROUNDS)

Station Number: 064008 · State: NSW · Opened: 1879 · Status: Open · Latitude: 31.28°S · Longitude: 149.28°E · Elevation: 520 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1879			30.5	66.0	124.9	22.2	97.7	107.7	101.4	46.1	67.8	77.7	
1880	55.1	60.2	126.8	159.5	26.1	15.6	9.4	6.6	132.1	57.9	23.9	33.7	706.9
1881	38.2	113.3	58.5	0.3	47.1	41.1	12.0	69.9	31.8	50.3	71.8	12.7	547.0
1882	11.2	102.6	13.5	69.4	90.4	74.1	29.2	35.9	5.9	85.2	111.3	102.6	731.3
1883	23.8	112.5	32.0	99.5	90.8	9.0	3.8	60.5	29.0	100.9	28.5	6.4	596.7
1884	5.6	5.1	5.6	71.1	19.8	73.8	53.3	14.0	124.2	14.5	66.6	26.1	479.7
1885	87.4	47.5	83.7	26.7	33.5	116.3	8.4	1.5	26.8	26.3	39.7	45.2	543.0
1886	110.3	5.4	1.5	109.8	128.1	81.2	89.5	224.6	14.8	108.6	95.5	133.0	1102.3
1887	121.1	240.2	117.6	68.7	10.6	51.9	123.8	156.2	14.9	75.4	86.4	154.2	1221.0
1888	21.1	201.8	6.6	13.2	47.4	34.9	7.9	6.3	40.2	40.9	17.5	58.5	496.3
1889	50.0	32.0	56.1	215.3	329.8	110.8	57.8	70.2	36.9	93.1	81.9	105.0	1238.9
1890	112.5	236.5	111.3	49.3	151.4	119.8	58.3	62.9	89.4	34.3	24.9	38.8	1089.4
1891	235.4	38.2	134.5	67.1	74.0	85.3	69.6	95.3	114.9	34.1	53.6	57.5	1059.5
1892	49.9	7.1	18.6	49.8	132.9	48.0	93.2	23.7	129.6	133.9	98.8	178.4	963.9
1893	69.8	43.5	122.8	101.9	73.6	93.6	61.2	98.2	12.0	49.6	40.1	20.1	786.4
1894	103.9	34.0	289.7	76.9	13.0	51.1	27.7	32.8	53.9	74.7	28.5	27.7	813.9
1895	211.5	46.2	3.0	28.2	37.7	30.8	23.7	22.8	67.9	73.4	104.2	85.9	735.3
1896	24.9	279.3	50.0	59.7	92.4	36.1	54.5	56.3	21.1	29.4	46.2	110.9	860.8
1897	182.4	15.7	25.1	0.0	23.4	57.9	139.7	33.1	51.8	47.6	21.8	27.7	626.2
1898	117.4	204.2	1.0	0.3	28.9	100.4	10.6	52.7	42.7	67.6	30.7	27.9	684.4
1899	80.1	30.6	3.5	43.2	7.1	58.8	115.0	83.9	25.9	15.1	35.0	3.1	501.3
1900	63.4	11.7	58.4	66.5	73.2	80.1	47.9	14.3	33.6	5.0	11.1	59.2	524.4
1901	34.0	0.0	41.6	74.2	83.6	47.6	20.5	140.6	30.2	59.3	42.7	5.1	579.4
1902	10.4	8.0	15.3	4.5	0.5	18.6	3.3	61.6	14.0	55.2	38.3	161.3	391.0
1903	13.5	1.9	44.7	105.5	115.8	5.1	64.1	41.9	152.4	55.8	50.8	60.9	712.4
1904	48.4	266.9	113.1	10.9	16.3	29.5	67.0	42.4	15.3	92.7	22.8	50.8	776.1
1905	0.6	88.3	76.2	213.4	55.8	48.5	44.2	29.2	5.6	23.6	27.7	13.2	626.3
1906	67.1	53.8	102.9	85.1	35.6	60.5	17.5	146.3	144.5	51.8	77.5	49.4	892.0
1907	90.4	6.1	72.9	41.2	4.6	88.8	57.7	71.2	23.6	12.7	77.0	74.4	620.6
1908	25.1	223.1	102.1	69.0	28.4	48.2	28.4	43.5	49.0	56.9	104.4	58.4	836.5
1909	25.2	196.2	34.2	56.7	18.2	67.7	36.3	148.7	55.7	26.4	53.2	126.5	845.0
1910	207.6	6.8	66.0	16.3	45.3	107.8	28.3	20.5	30.7	62.8	51.8	107.6	751.5
1911	205.0	141.6	33.5	15.0	55.1	23.2	74.7	41.8	94.5	14.8	45.2	67.1	811.5
1912	41.1	27.2	20.4	0.8	4.0	92.5	100.2	27.9	10.1	44.0	29.5	28.2	425.9
1913	29.7	61.2	60.2	115.3	135.1	55.9	22.9	13.3	34.1	34.5	21.6	50.8	634.6
1914	58.0	119.8	105.3	15.0	69.5	0.5	33.5	0.0	12.4	34.3	60.3	100.6	609.2
1915	22.3	7.7	9.6	20.1	67.3	22.6	69.5	45.2	20.8	53.8	1.3	44.1	384.3
1916	24.0	36.1	11.5	91.7	24.1	162.5	141.2	58.9	83.7	88.0	64.7	120.9	907.3
1917	112.1	56.4	11.7	16.5	3.5	81.2	30.0	47.9	81.0	43.4	123.8	78.1	685.6
1918	162.5	5.1	8.1	38.7	29.6	22.9	57.7	133.1	7.6	8.3	21.1	2.0	496.7
1919	50.3	41.2	28.1	14.2	81.1	17.0	15.3	30.4	5.1	12.3	10.7	78.1	383.8
1920	66.5	39.1	11.2	9.2	19.3	231.8	310.9	70.9	91.5	29.6	46.4	115.6	1042.0
1921	19.1	16.3	129.5	107.2	94.9	151.2	116.6	41.6	35.8	23.8	49.0	70.1	855.1
1922	24.2	34.6	5.6	16.3	2.0	37.0	75.7	6.1	25.4	26.6	16.5	112.3	382.3
1923	4.0	0.8	32.3	0.0	3.0	123.8	66.1	13.3	59.7	18.1	30.2	147.6	498.9
1924	75.2	131.7	3.9	29.2	8.9	38.3	58.7	47.6	83.1	48.0	245.4	10.8	780.8
1925	53.1	88.0	38.0	1.3	85.8	49.7	43.5	58.5	14.2	11.2	87.9	55.9	587.1
1926	45.7	0.6	245.1	98.1	122.9	23.7	38.9	14.1	100.9	15.5	7.0	173.1	885.6

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COONABARABRAN (SHOWGROUNDS)

Station Number: 064008 · State: NSW · Opened: 1879 · Status: Open · Latitude: 31.28°S · Longitude: 149.28°E · Elevation: 520 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1927	60.5	3.0	16.6	51.6	5.1	41.7	2.4	16.3	8.1	64.6	93.1	111.5	474.5
1928	111.1	158.1	69.4	32.5	10.2	43.1	64.8	4.6	3.1	28.4	29.2	16.5	571.0
1929	32.5	89.9	22.8	78.9	5.1	32.1	17.8	62.3	24.7	51.8	40.7	28.1	486.7
1930	90.9	3.4	110.4	22.9	31.4	160.6	74.7	38.6	31.0	138.0	33.5	54.6	790.0
1931	41.1	34.0	173.1	84.7	147.8	145.5	19.6	21.3	15.8	4.8	98.1	63.4	849.2
1932	10.7	18.5	154.9	45.2	27.5	32.2	52.6	22.3	84.6	37.0	35.3	37.9	558.7
1933	81.6	20.6	47.4	81.0	30.2	48.7	117.2	7.1	81.8	108.2	125.4	78.9	828.1
1934	54.9	279.3	0.3	19.3	5.9	39.9	76.3	47.4	68.4	193.8	76.1	21.1	882.7
1935	121.1	1.8	3.3	29.7	15.7	21.7	45.4	29.9	71.8	84.6	12.5	30.7	468.2
1936	41.7	167.4	70.1	14.3	32.3	21.6	120.4	63.7	42.4	18.8	1.8	96.7	691.2
1937	77.9	95.8	78.7	8.1	12.9	54.4	33.0	34.0	20.1	26.1	130.0	45.3	616.3
1938	57.1	42.7	6.3	32.2	50.5	35.9	66.3	60.4	7.7	29.0	60.2	19.1	467.4
1939	64.0	18.8	179.4	114.7	33.6	50.8	25.1	123.4	6.1	37.1	27.3	22.1	702.4
1940	9.9	10.7	31.2	111.8	1.0	10.9	0.3	13.2	45.0	2.1	23.1	62.0	321.2
1941	230.4	26.4	152.7	1.5	50.1	90.4	11.7	18.1	29.2	60.5	78.2	16.4	765.6
1942	29.2	54.9	44.2	1.5	82.3	88.4	123.8	27.0	38.1	41.0	120.0	47.0	697.4
1943	62.2	28.4	8.2	82.5	44.3	23.1	28.3	29.0	28.2	42.7	86.2	53.9	517.0
1944	28.1	53.9	19.8	12.9	80.8	24.9	42.2	128.8	30.3	9.5	13.5	0.0	444.7
1945	98.0	37.1	28.9	57.6	69.8	131.5	28.6	80.8	1.3	38.9	26.2	31.5	630.2
1946	118.5	9.9	26.4	14.3	17.8	26.6	9.7	1.8	51.0	15.3	16.9	42.4	350.6
1947	25.9	204.2	80.0	13.0	26.4	23.6	62.8	60.1	77.2	82.8	80.6	234.1	970.7
1948	65.3	78.5	126.9	54.9	40.6	134.3	24.2	24.9	43.1	25.0	21.9	58.0	697.6
1949	17.5	179.8	63.1	40.9	15.6	38.5	27.0	36.6	99.2	121.4	90.5	36.9	767.0
1950	193.8	171.8	68.8	342.6	58.0	151.5	100.5	56.2	37.8	151.3	262.1	2.3	1596.7
1951	95.7	50.5	113.4	20.9	42.4	66.0	50.3	73.0	37.1	13.2	30.5	35.8	628.8
1952	14.0	83.7	122.9	75.7	38.9	67.4	81.6	141.3	19.6	59.4	22.4	32.6	759.5
1953	35.9	121.0	59.0	31.8	85.6	4.8	15.1	105.9	28.2	48.5	60.1	30.6	626.5
1954	116.8	213.5	0.0	24.7	0.0	60.2	13.8	27.6	39.6	183.3	58.7	35.0	773.2
1955	214.5	296.6	6.6	42.5	66.6	56.9	50.6	71.3	78.3	120.7	70.6	38.3	1113.5
1956	144.0	171.8	94.5	70.9	98.6	109.1	107.9	21.5	30.5	83.1	15.0	47.7	994.6
1957	18.6	87.0	72.9	57.1	1.9	41.4	21.0	45.0	1.0	4.1	5.3	96.3	451.6
1958	109.0	103.2	21.1	22.6	67.1	61.4	7.7	49.3	101.2	115.1	19.9	53.4	731.0
1959	89.5	297.9	137.1	111.0	13.7	36.6	50.4	2.5	28.9	49.0	86.8	83.0	986.4
1960	90.5	47.0	42.4	9.4	67.3	14.7	70.4	27.6	76.1	36.6	89.1	80.5	651.6
1961	32.0	131.1	199.3	48.0	10.2	7.1	47.7	63.8	3.6	36.4	109.4	75.8	764.4
1962	78.8	36.2	50.5	70.8	56.1	14.4	62.3	66.1	45.0	99.1	45.5	64.1	688.9
1963	230.7	64.9	86.8	49.1	119.5	63.2	24.1	68.9	72.2	34.0	87.6	61.5	962.5
1964	72.4	81.0	58.5	118.1	43.0	38.7	36.9	37.2	135.0	93.7	16.8	21.8	753.1
1965	4.6	1.1	0.3	9.2	7.4	20.8	12.5	50.7	49.2	119.2	48.3	228.9	552.2
1966	1.3	39.1	53.1	43.7	19.0	60.8	24.9	147.1	59.4	93.3	136.6	68.1	746.4
1967	36.3	4.8	201.6	0.0	35.1	60.7	16.0	28.7	6.1	63.1	3.8	49.1	505.3
1968	365.0	26.1	48.9	15.7	132.4	14.7	38.0	117.1	34.9	21.4	14.5	57.3	886.0
1969	58.5	106.7	84.1	47.0	38.6	89.0	69.9	64.3	43.8	188.6	97.2	58.5	946.2
1970	97.0	50.8	111.3	78.3	24.6	11.8	0.3	48.8	129.9	29.5	83.9	181.5	847.7
1971	300.6	254.9	33.1	14.3	9.9	2.0	136.6	69.0	69.1	6.2	85.4	48.6	1029.7
1972	153.4	63.0	10.7	30.0	13.5	17.6	6.6	32.5	20.2	142.8	157.4	33.8	681.5
1973	218.9	231.7	42.5	31.6	46.9	62.2	68.3	101.1	111.8	226.1	87.2	130.2	1358.5
1974	302.2	40.4	4.2	90.6	16.0	35.3	34.6	55.7	50.8	95.0	40.0	0.4	765.2

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COONABARABRAN (SHOWGROUNDS)

Station Number: 064008 · State: NSW · Opened: 1879 · Status: Open · Latitude: 31.28°S · Longitude: 149.28°E · Elevation: 520 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1975	83.2	118.2	41.4	21.0	2.8	62.2	37.0	48.8	45.4	113.0	37.8	54.8	665.6
1976	310.4	180.0	81.6	2.6	18.6	60.7	100.6	12.2	83.6	72.2	77.4	41.2	1041.1
1977	170.5	188.0	114.1	45.1	185.0	36.2	6.8	33.2	28.8	27.6	41.0	28.8	905.1
1978	186.6	40.6	96.8	2.6	99.2	57.6	85.4	35.0	146.0	26.4	114.4	144.8	1035.4
1979	23.0	5.2	66.8	14.0	56.4	58.8	38.2	28.4	86.0	83.4	94.8	48.6	603.6
1980	119.2	31.0	81.2	1.0	134.6	53.0	38.2	35.6	0.4	66.0	1.4	105.8	667.4
1981	41.4	123.8	0.0	14.8	61.4	131.6	87.8	15.0	46.0	100.2	102.0	34.2	758.2
1982	73.4	29.6	132.2	2.2	47.2	13.8	10.6	0.0	8.8	31.8	15.0	49.4	414.0
1983	223.4	26.2	42.0	131.6	214.8	31.4	66.4	78.8	64.8	52.2	119.2	56.0	1106.8
1984	338.0	46.4	33.4	84.2	7.4	4.6	124.6	48.6	48.8	33.0	47.6	36.6	853.2
1985	2.8	41.2	11.2	52.0	52.4	61.2	11.4	170.8	27.0	88.2	95.2	137.2	750.6
1986	48.4	6.2	0.0	27.8	47.4	1.2	129.6	77.4	54.2	48.0	76.0	28.0	544.2
1987	97.4	62.4	132.0	1.8	77.6	57.2	24.0	147.6	16.2	68.8	39.0	63.6	787.6
1988	158.6	57.8	15.8	225.2	45.4	33.4	77.6	38.0	52.8	6.0	41.8	100.2	852.6
1989	32.0	67.8	125.2	132.2	169.8	117.2	74.6	12.0	2.0	50.4	116.8	55.8	955.8
1990	74.0	35.8	124.6	254.0	114.0	28.6	88.8	34.6	23.2	63.2	27.0	49.0	916.8
1991	204.8	69.8	29.4	22.6	127.4	143.4	72.8	4.0	30.6	14.4	24.0	156.0	899.2
1992	114.0	171.7	26.2	26.2	19.6	10.8	41.8	92.2	38.9	70.2	123.0	135.8	870.4
1993	82.6	42.4	45.0	0.8	55.6	63.6	114.8	27.2	91.2	129.6	85.4	163.2	901.4
1994	13.4	104.2	74.0	11.4	4.8	20.6	16.0	10.6	3.8	20.2	92.6	47.0	418.6
1995	250.0	18.2	0.0	2.4	103.0	64.2	22.6	0.0	89.8	35.3	108.0	61.8	755.3
1996	222.2	11.8	7.0	3.4	63.0	57.2	117.8	105.4	61.2	45.6	87.4	194.0	976.0
1997	162.6	130.4	20.2	1.4	72.6	30.0	15.8	12.4	139.2	94.8	35.8	94.8	810.0
1998	109.4	74.4	7.4	105.6	77.0	88.0	246.2	121.2	134.4	112.8	99.8	14.6	1190.8
1999	20.8	74.8	145.6	123.6	12.4	50.8	63.4	55.2	43.4		103.6	50.8	
2000	74.4	19.6	132.6	81.0	123.4	40.4	34.2	74.0	13.4	147.0	316.8	24.4	1081.2
2001	58.8	50.2	97.2	29.2	29.2	32.2	89.6	16.0	26.2	93.6	148.6	20.4	691.2
2002	33.8	104.4	47.4	11.0	13.2	40.4	3.8	10.0	54.2	6.0	31.4		
2003	24.2	104.4	10.6	188.0	5.4	56.8	33.2	131.8	4.8	52.4	29.2	25.2	666.0
2004	118.1	196.0	55.6	49.0	54.4	26.2	56.8	57.4	39.8	36.8	85.6	121.0	896.7
2005	70.2	34.8	64.4	0.6	24.0	175.0	28.6	37.4	101.4	109.8	64.4	18.0	728.6
2006	45.2	49.4	27.0	47.6	0.0	61.0	101.6	15.4	15.0	1.4	52.8	44.8	461.2
2007	98.6	106.8	99.8	17.4	77.0	100.2	10.6	22.4	1.8	60.4	87.0	289.6	971.6
2008	79.8	146.8	29.0	24.4	27.2	48.2	34.4	52.4	86.2	70.8	163.2	131.2	893.6
2009	36.8	141.6	2.4	49.8	32.2	58.2	27.2	14.0	84.2	58.8	9.6	214.4	729.2
2010	216.4	142.2	89.2	27.4	46.6	40.8	144.6	94.6	64.0	102.8	189.0	293.6	1451.2
2011	51.6	15.6	57.0	20.2	59.4	17.4	8.8	41.8	89.4	55.0	124.6	122.6	663.4
2012	126.8	125.8	149.2	24.4	58.6	64.2	117.4	8.6	42.0	7.2	32.0	42.6	798.8
2013	87.2	49.0	136.5	0.0	39.2	106.0	37.5	4.4	32.0	9.0	16.0	24.0	540.8
2014	4.4	95.8	101.0	19.6	16.8	73.4	37.6	64.6	19.0	19.6	15.4	60.2	527.4
2015	87.6	20.4	21.6	101.6	69.4	63.2	45.6						
2016								55.1	261.2	90.3	14.7	22.7	
2017	113.7	17.5	147.5	12.1	20.1	11.5	0.5	20.8	3.2	60.9	49.1	82.2	539.1
2018	43.9	38.6	33.4	2.4	3.5	22.9	3.7						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

COONABARABRAN (SHOWGROUNDS)

Station Number: 064008 · State: NSW · Opened: 1879 · Status: Open · Latitude: 31.28°S · Longitude: 149.28°E · Elevation: 520 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	90.1	80.7	63.1	51.7	53.1	56.9	54.4	52.3	50.8	59.0	64.4	70.6	749.1
Lowest	0.6	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.4	1.4	1.3	0.0	321.2
5th percentile	9.3	3.3	1.5	0.8	3.0	8.8	3.8	4.3	3.5	6.2	10.5	9.9	417.0
10th percentile	16.5	6.2	5.3	1.7	5.1	14.6	9.3	9.6	6.1	12.5	15.0	18.7	470.1
Median	70.0	50.7	48.9	32.2	42.4	49.7	43.5	42.2	39.7	50.3	51.3	54.8	740.9
90th percentile	212.4	197.9	133.0	111.2	123.0	116.5	116.7	118.3	101.4	113.8	119.4	145.9	1039.4
95th percentile	231.4	237.1	152.9	134.9	134.6	143.6	125.1	142.1	132.4	139.0	138.4	179.0	1109.1
Highest	365.0	297.9	289.7	342.6	329.8	231.8	310.9	224.6	261.2	226.1	316.8	293.6	1596.7

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	131.1	73.1	69.4	55.3	63.5	43.6	52.7	58.9	52.2	72.6	68.7	70.5	811.5
Lowest	1.3	1.1	0.0	0.0	2.8	1.2	0.3	0.0	0.4	6.0	1.4	0.4	414.0
5th Percentile	3.6	5.0	0.1	1.4	7.4	3.2	6.7	12.1	2.7	13.0	8.6	24.6	522.8
10th percentile	21.2	6.1	3.8	2.2	9.6	6.8	10.2	14.7	5.8	25.9	14.9	28.7	551.4
Median	90.1	48.6	55.8	37.7	47.0	37.5	38.2	48.8	47.4	64.6	76.7	55.9	776.4
90th percentile	303.0	180.8	132.0	131.7	138.1	65.8	103.0	120.1	113.6	121.6	117.0	138.0	1036.0
95th percentile	325.6	212.0	169.1	183.4	178.2	104.5	127.3	147.4	132.7	168.0	128.8	165.0	1077.2
Highest	365.0	254.9	201.6	254.0	214.8	131.6	136.6	170.8	146.0	226.1	157.4	228.9	1358.5

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40225979 Created on Thu 16 Aug 2018 19:23:03 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

DUNEDOO POST OFFICE

Station Number: 064009 · State: NSW · Opened: 1912 · Status: Open · Latitude: 32.02°S · Longitude: 149.40°E · Elevation: 388 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1912	38.4	14.5	0.0	6.6	0.0	83.8	142.2	62.5	12.3	28.9	8.4	68.3	465.9
1913	11.6	33.8	116.6	105.2	125.1	45.1	27.9	24.1	32.2	41.6	16.0	20.8	600.0
1914	39.7	79.7	62.0	61.6	31.5	17.5	41.2	0.8	43.5	10.7	81.2	74.8	544.2
1915	13.0	8.9	60.5	16.6	87.3	55.1	56.9	26.7	29.7	31.6	11.2	29.0	426.5
1916	4.8	21.9	7.6	78.2	22.4	131.9	101.3	52.6	64.8	66.3	75.8	117.6	745.2
1917	112.4	63.5	20.1	9.9	7.4	78.8	37.7	50.0	99.0	67.8	95.3	58.4	700.3
1918	80.6	18.6	10.9	22.8	9.2	16.8	35.8	74.8	7.1	14.8	5.6	2.5	299.5
1919	20.8	21.0	56.1	2.8	105.5	2.8	16.5	25.6	10.5	9.6	9.0	82.6	362.8
1920	68.9	28.7	2.0	1.5	29.7	149.0	172.6	65.6	76.8	15.0	51.0	179.0	839.8
1921	81.0	14.5	76.3	121.0	107.6	70.3	55.2	36.5	33.7	32.7	76.9	63.3	769.0
1922	89.0	22.6	6.6	11.2	11.2	17.3	60.6	15.7	17.5	22.8	14.5	67.3	356.3
1923	16.8	0.0	21.1	0.0	11.4	103.6	43.7	11.9	70.2	36.5	30.7	95.6	441.5
1924	36.8	71.0	21.6	34.4	8.4	27.1	20.6	30.8	97.5	48.6	134.1	16.5	547.4
1925	62.2	39.1	27.7	7.4	53.3	40.6	30.8	28.6	10.5	18.3	84.4	15.3	418.2
1926	104.2	16.2	250.1	149.1	84.6	28.0	29.4	20.9	59.8	15.1	0.0	194.8	952.2
1927	108.2	0.0	10.4	80.2	4.4	15.6	2.0	30.8	12.3	35.9	102.9	44.0	446.7
1928	70.7	197.9	71.6	26.4	11.1	40.5	56.4	5.1	5.3	34.3	21.9	15.2	556.4
1929	18.3	100.2	25.1	72.8	6.3	15.2	7.5	42.7	25.9	39.9	52.3	18.3	424.5
1930	66.8	5.1	36.8	24.6	40.4	107.2	91.7	46.2	14.9	99.6	38.0	58.4	629.7
1931	33.2	20.6	152.3	101.4	154.4	80.6	42.7	13.2	22.9	10.7	33.8	83.3	749.1
1932	0.0	24.9	85.8	50.4	14.0	18.0	35.5	29.9	96.5	34.7	51.3	36.5	477.5
1933	79.2	40.9	47.1	65.8	29.0	26.2	53.8	9.8	67.1	77.2	130.0	36.5	662.6
1934	17.6	159.7	0.0	24.1	0.0	36.1	78.5	46.2	47.5	108.4	86.8	57.7	662.6
1935	86.3	54.2	7.4	28.0	24.3	20.5	42.3	24.4	49.6	102.9	26.1	23.2	489.2
1936	75.6	65.0	94.3	16.5	43.4	12.2	102.9	33.7	34.3	13.0	0.0	74.8	565.7
1937	56.2	48.8	64.5	12.5	19.0	64.7	5.9	65.7	19.9	16.5	51.4	9.4	434.5
1938	79.2	22.7	2.0	33.3	52.8	19.2	62.1	47.8	7.8	47.3	62.8	15.7	452.7
1939	46.4	9.4	81.9	94.4	13.2	39.7	27.3	73.5	4.3	48.2	69.9	17.8	526.0
1940	1.3	0.0	5.8	78.3	11.5	8.1	2.6	37.8	63.7	6.1	30.2	92.5	337.9
1941	205.9	14.5	60.2	8.1	19.9	71.4	14.8	36.4	24.7	37.7	18.8	13.3	525.7
1942	38.9	63.0	34.1	0.0	95.0	55.1	116.5	22.8	40.1	13.3	83.1	105.5	667.4
1943	48.4	23.1	0.5	55.7	91.6	35.2	13.9	51.1	35.6	10.2	66.5	87.2	519.0
1944	51.9	19.8	25.4	12.2	40.9	5.1	39.1	91.9	16.5	4.8	18.8	1.0	327.4
1945	130.8	50.9	19.3	63.0	61.4	154.5	30.9	105.6	0.5	31.8	54.6	58.1	761.4
1946	78.1	12.5	17.8	26.5	14.7	41.8	20.6	2.7	50.6	21.3	38.5	53.2	378.3
1947	20.9	185.6	50.1	33.2	37.6	19.3	50.4	34.7	98.8	72.2	74.1	180.8	857.7
1948	37.9	90.2	60.1	38.1	31.4	105.7	7.6	20.5	67.4	8.1	33.0	55.0	555.0
1949	41.9	87.1	75.6	46.2	31.6	44.3	47.3	45.5	102.9	55.1	43.7	22.1	643.3
1950	165.2	224.1	23.6	140.7	68.9	99.5	103.6	72.8	51.6	153.8	263.4	7.1	1374.3
1951	29.9	71.9	35.5	25.6	23.9	68.2	43.8	59.0	26.6	14.0	28.0	23.3	449.7
1952	14.8	45.8	102.8	75.3	48.1	65.3	62.9	106.3	28.4	56.1	17.0	91.8	714.6
1953	53.9	56.2	6.4	23.7	77.3	7.4	10.1	73.8	27.7	50.5	70.4	28.5	485.9
1954	85.3	247.3	0.0	12.5	4.8	53.2	12.7	10.7	32.5	127.5	38.8	35.1	660.4
1955	133.4	377.2	20.1	23.3	65.9	34.6	25.7	50.1	55.9	139.3	69.4	73.1	1068.0
1956	96.8	168.7	169.1	49.4	82.4	76.7	91.0	48.3	19.6	54.0	14.0	54.1	924.1
1957	21.3	54.8	34.3	33.3	2.0	7.2	51.1	51.8	0.3	5.3	8.6	69.1	339.1
1958	93.8	88.5	32.7	34.3	67.6	48.5	25.3	32.6	87.1	84.7	10.7	51.1	656.9
1959	116.9	95.8	112.8	58.0	9.1	40.8	52.1	1.0	12.9	52.1	64.5	100.9	716.9

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

DUNEDOO POST OFFICE

Station Number: 064009 · State: NSW · Opened: 1912 · Status: Open · Latitude: 32.02°S · Longitude: 149.40°E · Elevation: 388 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1960	50.0	53.3	15.5	15.8	41.2	2.3	54.4	75.0	64.4	28.5	74.9	54.3	529.6
1961	19.1	66.6	105.0	48.0	8.6	16.8	33.3	76.2	2.5	50.0	140.9	86.3	653.3
1962	82.5	14.4	14.7	33.0	73.9	7.6	44.7	47.3	20.4	55.6	10.6	103.2	507.9
1963	170.8	47.7	80.7	61.0	90.3	66.1	33.7	50.0	40.6	26.1	31.5	109.1	807.6
1964	48.6	18.3	43.9	127.0	29.3	24.2	33.4	24.6	69.7	66.8	63.0	30.5	579.3
1965	3.0	7.4	1.0	25.1	9.9	14.2	13.1	34.1	37.6	74.9	20.3	160.6	401.2
1966	3.3	48.2	86.7	9.7	18.8	26.4	24.1	70.4	42.6	94.9	69.0	76.7	570.8
1967	25.5	12.6	89.3	1.3	35.2	62.6	5.1	29.6	7.6	45.7	2.8	20.9	338.2
1968	153.6	27.7	50.0	12.4	86.7	15.4	33.3	55.5	33.9	17.0	20.0	67.3	572.8
1969	67.3	126.4	92.1	74.0	31.9	39.1	41.4	41.2	58.1	212.5	83.3	34.1	901.4
1970	78.1	47.9	55.1	58.9	15.8	17.6	0.5	17.3	105.0	59.8	54.6	112.1	622.7
1971	170.3	172.0	8.1	12.2	18.1	3.5	67.6	73.5	38.6	26.1	56.1	62.1	708.2
1972	193.6	72.8	24.4	26.2	29.0	29.7	4.9	28.0	23.4	93.2	43.7	17.6	586.5
1973	77.8	169.4	40.9	50.5	53.8	67.3	88.7	77.9	33.3	170.5	128.0	34.3	992.4
1974	169.8	39.2	8.4	96.1	32.8	17.6	30.6	47.8	43.0	55.5	40.2	3.2	584.2
1975	46.6	170.3	72.2	9.8	6.9	82.0	36.2	44.3	51.7	125.4	17.8	33.4	696.6
1976	212.0	100.3	84.2	25.8	15.0	21.9	58.7	16.3	61.3	103.2	89.2	71.0	858.9
1977	78.4	79.2	129.5	1.6	117.5	20.5	7.8	21.2	40.4	19.1	19.0	4.6	538.8
1978	130.0	22.6	120.6	2.2	118.1	55.6	44.2	11.0	94.2	13.8	56.6	90.2	759.1
1979	9.8	3.7	161.0	70.8	72.4	34.7	24.6	20.8	72.4	37.0	20.1	1.6	528.9
1980	76.2	32.4	43.6	0.6	38.6	44.6	21.2	29.2	0.4	32.0	0.5	32.8	352.1
1981	19.2	111.6	0.0	8.3	41.3	115.9	97.0	18.0	26.0	125.8	71.2	21.0	655.3
1982	38.0	37.4	227.3	2.7	15.4	17.6	8.0	0.0	9.8	6.4	17.8	28.4	408.8
1983	58.6	79.6	36.7	60.2	169.8	18.6	43.0	40.2	51.2	39.6	101.0	57.9	756.4
1984	155.6	82.8	39.0	89.3	7.8	2.0	102.6	30.9	53.0	22.8	35.8	35.8	657.4
1985	4.4	28.8	15.0	54.6	44.6	56.0	3.0	82.8	38.5	66.6	91.6	62.6	548.5
1986	52.4	20.2	1.2	7.6	16.7	6.8	105.9	61.8	36.6	43.0	64.6	13.6	430.4
1987	76.9	51.4	104.9	0.0	43.3	59.0	20.0	94.7	19.6	41.4	59.0	62.0	632.2
1988	94.2	45.1	4.2	143.0	59.4	32.2	39.1	43.6	98.0	3.2	41.6	73.6	677.2
1989	76.6	26.0	94.1	138.0	126.5	73.2	62.9	24.0	5.9	35.5	58.0	57.6	778.3
1990	97.5	108.0	68.9	160.7	46.9	28.1	73.9	54.2	31.0	71.4	6.0	33.1	779.7
1991	196.8	18.0	14.4	1.0	87.0	105.2	61.8	21.0	34.6	7.0	49.2	91.2	687.2
1992	28.1	174.2	48.8	17.7	21.2	17.2	25.6	46.8	33.3	91.8	51.7	134.2	690.6
1993	67.6	26.1	43.8	0.6	49.8	36.7	131.4	19.7	88.7	90.6	66.8	57.4	679.2
1994	61.2	62.0	30.3	9.9	4.0	6.0	40.0	12.2	2.8	13.5	106.7	31.4	380.0
1995	125.6	8.4	0.0	0.4	113.0	23.3	16.8	1.0	68.4	27.9	58.2	106.4	549.4
1996	143.4	85.4	27.0	3.4	65.8	33.6	120.9	83.0	99.4	77.4	35.8	131.0	906.1
1997	88.4	71.8	5.2	1.6	69.4	30.3	24.9	9.6	101.1	50.7	14.4	97.0	564.4
1998	126.6	27.5	1.6	50.7	88.5	56.3	188.1	82.3	97.1	73.7	74.9	26.9	894.2
1999	70.4	16.8	166.3	58.9	14.5	47.0	37.6		54.2	176.7		98.8	
2000	43.8	11.8	147.7	127.8	94.8	28.1	31.1	47.1	18.6	79.9	185.5	48.0	864.2
2001	25.6	10.9	97.5	46.9	27.0	25.6	76.0	27.9	22.1	92.7	36.6	45.2	534.0
2002	5.9	153.6	48.3	21.5	35.5	23.6	4.6	8.2	41.2	10.8	17.7	30.6	401.5
2003	15.8	95.4	43.2	115.3	2.8	61.4	23.5	114.6	18.8	73.4	62.3	33.7	660.2
2004	24.4	90.8	26.0	13.6	50.6	33.6	41.8	39.0	35.7	49.0	49.9	127.3	581.7
2005	53.6	42.6	50.2	0.0	3.6	121.8	39.5	24.4	93.9	72.0	147.2	29.3	678.1
2006	94.8	61.4	9.7	35.7	0.5	29.7	70.1	11.0	17.1	0.2	50.5	51.2	431.9
2007	64.7	56.0	123.6	20.1	71.8	150.5	11.1	28.5	0.0	34.8	58.2	113.6	732.9

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

DUNEDOO POST OFFICE

Station Number: 064009 · State: NSW · Opened: 1912 · Status: Open · Latitude: 32.02°S · Longitude: 149.40°E · Elevation: 388 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2008	71.8	114.8	17.6	6.9	18.5	51.5	29.0	67.5	77.4	38.8	83.8	97.5	675.1
2009	12.6	64.1	14.2	30.4	13.0	38.8	25.6	4.6	25.2	47.4	17.9	149.0	442.8
2010	92.5	98.7	102.7	40.5	47.5	33.1	84.0	59.2	51.8	105.4	135.4	279.4	1130.2
2011	17.3	39.8	23.8	23.3	48.6	8.5	4.7	58.9	89.1	53.3	133.4	67.6	568.3
2012	97.0	85.1	97.2	10.1	29.9	37.1	47.0	10.7	42.3	7.5	32.1	55.2	551.2
2013	75.5	64.4	79.2	0.0	28.2	98.0	22.4	7.4	45.6	7.1	25.0	27.0	479.8
2014	33.8	79.3	111.7	43.8	35.5	39.8	24.2	29.3	13.4	43.1	11.6	130.5	596.0
2015	91.9	7.9	6.9	102.6	47.0	57.0	51.2	36.7	5.4	61.6	133.2	58.8	660.2
2016	134.2	13.1	5.7	26.6	76.6	97.9	69.0	42.8	168.5	82.8	39.4	50.6	807.2
2017	14.8	2.6	119.8	8.0	27.7	10.4	0.8	23.7	6.2	68.8	40.7	66.3	389.8
2018	49.4	41.2	74.8	17.1	16.2	24.1	5.2						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

DUNEDOO POST OFFICE

Station Number: 064009 · State: NSW · Opened: 1912 · Status: Open · Latitude: 32.02°S · Longitude: 149.40°E · Elevation: 388 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	69.6	62.9	53.8	40.7	43.9	45.0	45.5	40.1	43.2	52.2	55.0	62.9	613.9
Lowest	0.0	0.0	0.0	0.0	0.0	2.0	0.5	0.0	0.0	0.2	0.0	1.0	299.5
5th percentile	5.1	5.8	0.6	0.5	3.7	6.2	4.6	4.7	3.2	6.6	6.5	7.7	352.9
10th percentile	14.1	10.3	3.3	1.6	7.2	8.3	6.9	10.2	6.7	9.9	10.9	15.5	394.4
Median	66.8	47.9	40.9	26.4	32.8	35.2	37.7	36.4	36.2	43.0	50.5	57.5	584.2
90th percentile	137.9	156.0	117.9	101.9	92.9	98.6	98.7	74.9	95.3	103.1	105.2	115.6	858.4
95th percentile	170.1	173.5	150.9	127.6	116.2	113.3	113.3	83.0	98.9	127.1	134.0	145.3	920.5
Highest	212.0	377.2	250.1	160.7	169.8	154.5	188.1	114.6	168.5	212.5	263.4	279.4	1374.3

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	83.0	62.3	63.4	47.0	49.1	35.9	40.1	42.2	41.5	61.2	50.5	53.2	629.5
Lowest	3.0	3.7	0.0	0.0	6.9	2.0	0.5	0.0	0.4	3.2	0.5	1.6	338.2
5th Percentile	3.8	9.7	1.1	0.9	8.2	5.0	3.9	13.4	4.0	9.7	4.2	3.8	374.2
10th percentile	9.3	14.2	3.9	1.6	9.8	7.5	5.1	17.2	7.4	16.7	10.1	12.7	408.0
Median	76.8	47.8	52.5	29.6	36.9	27.2	33.5	40.7	38.5	47.8	49.2	46.7	627.4
90th percentile	170.4	130.7	121.5	128.1	117.6	67.9	89.5	76.4	74.6	125.4	92.5	103.8	812.7
95th percentile	183.3	169.9	146.8	140.8	122.7	78.0	100.1	80.6	96.3	150.4	115.8	110.8	882.3
Highest	212.0	172.0	227.3	160.7	169.8	115.9	105.9	94.7	105.0	212.5	140.9	160.6	992.4

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40226017 Created on Thu 16 Aug 2018 19:25:30 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>



Monthly Rainfall (millimetres)

MENDOORAN POST OFFICE

Station Number: 064015 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.82°S · Longitude: 149.12°E · Elevation: 350 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1886					112.4	83.8	69.8	141.2	0.0	30.0	152.7	95.6	
1887	185.4	63.2	99.3	40.2	33.5	39.2	67.4	188.6	13.7	54.1	114.3	227.4	1126.3
1888	0.0	64.8	16.5	0.0	43.1	12.2	16.0	1.3	37.4	35.6	25.4	6.2	258.5
1889	22.9	29.3	33.8	94.0	82.1	80.3	17.8	50.7	32.3	84.6	72.7	88.1	688.6
1890	68.0	178.6	78.0	60.7	87.1	75.7	118.1	47.2	84.5	50.0	26.7	87.3	961.9
1891	142.5	37.4	60.4	78.0	54.8	96.9	83.1	63.2	148.6	30.7	68.8	50.0	914.4
1892	61.6	7.6	42.6	76.4	80.8	26.4	83.3	17.7	161.3	91.8	53.8	106.6	809.9
1893	55.1	22.9	169.7	41.2	81.8	65.1	64.0	58.0	28.0	31.5	68.5	7.6	693.4
1894	49.0	17.3	277.9	84.6	29.3	38.1	25.9	22.2	22.6	70.9	18.0	35.1	690.9
1895	145.0	4.3	0.0	8.1	17.3	26.3	16.8	32.8	50.6	27.7	51.6	101.5	482.0
1896	9.7	206.8	35.3	31.7	43.6	32.0	26.3	51.2	7.2	39.6	44.0	105.1	632.5
1897	92.7	0.0	27.7	0.0	30.5	84.4	142.0	16.8	37.4	51.6	2.5	21.3	506.9
1898	172.7	131.8	7.4	0.0	32.8	126.0	0.0	87.0	0.0	94.0	19.1	32.3	703.1
1899	80.0	19.0	5.8	55.8	8.1	50.4	79.8	65.3	14.2	29.4	50.8	0.0	458.6
1900	102.9	0.0	75.2	7.4	60.5	51.6	64.5	0.0	39.2	0.0	3.9	41.2	446.4
1901	17.8	0.0	79.5	60.8	49.5	25.4	8.3	62.9	5.1	39.6	47.0	7.6	403.5
1902	1.3	3.5	19.2	11.0	2.5	25.3	13.2	57.3	14.0	32.4	69.4	82.7	331.8
1903	14.0	0.0	36.6	97.5	37.1	6.8	41.5	34.8	133.2	38.2	50.9	64.2	554.8
1904	51.3	100.3	70.9	16.0	27.9	20.4	98.4	34.6	14.3	41.7	19.8	34.1	529.7
1905	4.6	152.7	53.9	140.9	66.5	49.1	33.3	39.3	0.0	47.6	14.0	23.4	625.3
1906	28.0	12.0	83.2	18.5	24.2	40.6	15.5	112.5	64.4	51.6	74.9	35.5	560.9
1907	59.4	13.0	43.2	30.0	7.4	23.3	38.9	27.0	48.3	7.1	15.3	18.1	331.0
1908				13.5									
1909	9.2	179.3	21.1	32.3	9.2	106.3	9.4	104.2	38.5	34.8	54.8	101.4	700.5
1910	145.6	0.0	57.2	24.9	22.9	41.1	45.6	9.7	11.6	60.4	14.2	67.7	500.9
1911	120.9	86.4	11.4	0.0	34.1	23.6	35.0	36.8	46.8	8.6	86.6	90.7	580.9
1912	20.3	15.1	16.5	2.5	0.0	73.2	115.4	47.4	13.2	27.2	5.3	6.1	342.2
1913	42.5	44.2	73.2	67.3	93.7	46.5	21.3	25.9	29.0	53.1	15.5	43.2	555.4
1914	24.2	91.8	80.8	65.5	31.5	13.0					111.5	73.4	
1915	16.0	44.2	70.8	3.0	73.7	48.9	41.1	23.9	33.1	30.5	7.9	30.9	424.0
1918					9.1	15.5	27.1	69.8	9.7	17.8	12.0	3.9	
1919	35.1	19.2	5.4	15.3	115.0	4.4	14.7	21.9	10.8	6.9	6.8	92.0	347.5
1920	63.9	29.7	1.3	3.0	28.7	142.0	179.3	46.3	55.7	29.0	53.5	127.3	759.7
1921	41.4	48.5	67.0	137.5	86.5	67.2	47.0	34.0	53.9	26.9	40.2	56.2	706.3
1922	53.6	15.3	34.3	11.9	0.5	30.9	72.2	18.5	25.9	24.7	9.7	66.1	363.6
1923	13.4	0.0	16.5	0.0	11.1	93.7	42.8	14.0	57.0	33.5	33.6	69.6	385.2
1924	56.3	42.9	10.2	53.9	7.7	28.0	19.0	45.0	85.0	54.0	164.8	6.1	572.9
1925	63.2	72.4	29.7	3.3	62.0	38.8	24.8	21.1	4.8	12.3	74.7	25.7	432.8
1926	37.3	10.4	247.5	95.3	77.8	21.6	24.2	18.5	57.1	28.0	0.0	215.8	833.5
1927	62.4	0.0	52.1	79.3	0.0	16.1	11.2	26.0	15.7	31.1	119.7	43.5	457.1
1928	80.3	98.4	56.9	24.8	8.4	23.0	43.2	1.5	3.8	18.8	16.6	1.8	377.5
1929	23.2	96.0	31.5	53.4	13.5	11.9	12.7	35.8	24.4	66.3	27.2	12.2	408.1
1930	62.5	13.9	18.3	18.5	31.5	120.9	92.7	41.0	13.8	111.2	14.5	40.9	579.7
1931	37.8	19.8	164.2	108.6	107.8	79.5	27.6	4.1	19.8	7.6	47.7	71.7	696.2
1932	5.6	9.4	72.9	39.7	11.7	19.6	44.1	26.9	86.1	20.9	59.9	22.6	419.4
1933	36.2	30.5	32.3	48.3	24.4	34.6	55.8	9.6	61.4	60.3	101.7	20.9	516.0
1934	16.3	177.6	0.0	16.3	0.0	27.4	78.9	55.6	52.2	81.0	53.9	34.3	593.5
1935	55.2	15.2	5.3	29.5	16.8	18.1	29.2	27.0	64.9	53.4	17.7	30.7	363.0

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

MENDOORAN POST OFFICE

Station Number: 064015 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.82°S · Longitude: 149.12°E · Elevation: 350 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1936	72.0	117.1	73.2	12.5	27.5	15.8	91.2	26.7	27.5	15.4	0.0	94.6	573.5
1937	54.8	54.0	48.0	13.2	15.0	58.0	12.2	34.3	16.2	15.5	94.1	14.8	430.1
1938	61.5	17.3	0.0	21.3	40.9	23.2	62.5	38.5	9.2	31.7	46.1	10.2	362.4
1939	40.4	11.4	103.0	145.5	37.9	58.8	26.6	71.0	8.1	50.0	62.0	10.9	625.6
1940	7.9	0.0	8.9	76.1	8.2	13.5	5.5	25.9	64.9	0.5	43.0	103.8	358.2
1941	170.7	22.9	67.8	8.6	19.4	69.5	21.7	24.7	32.8	30.1	59.2	13.5	540.9
1942	50.3	89.5	62.0	0.0	96.2	47.3	99.8	20.5	33.3	18.2	50.6	85.3	653.0
1943	100.6	35.1	4.8	76.7	84.1	22.8	15.7	19.8	22.9	17.0	65.0	25.0	489.5
1944	26.7	33.5	29.0	11.7	44.1	2.0	35.6	94.7	14.5	4.8	26.1	0.0	322.7
1945	103.7	82.8	25.9	44.7	47.1	0.0	30.0	109.5	0.0	32.0	31.5	70.6	577.8
1946	36.8	20.8	11.2	17.6	20.5	16.7	11.6	1.0	37.5	15.3	29.5	41.4	259.9
1947	32.0	157.5	24.3	36.3	30.8	22.1	45.6	33.7	83.1	90.9	87.1	98.7	742.1
1948	52.6	70.9	64.4	22.4	34.3	90.7	5.8	30.3	68.7	7.3	32.5	9.7	489.6
1949	106.6	85.3	130.9	53.3	20.1	45.3	51.1	68.8	85.8	97.7	55.1	20.1	820.1
1950	114.8	112.6	52.6	130.4	64.2	102.0	88.4	65.6	41.7	147.4	228.4	8.4	1156.5
1951	63.5	60.4	31.9	18.5	26.4	58.4	37.0	58.3	22.3	9.6	32.5	36.6	455.4
1952	3.5	38.2	63.0	47.1	34.4	75.8	52.2	116.7	20.2	43.7	16.0	84.0	594.8
1953	46.4	62.8	10.7	39.0	39.2	8.5	9.8	83.7	24.1	38.0	67.9	30.9	461.0
1954	95.4	214.4	0.0	18.3	1.0	35.3	9.9	17.5	41.5	99.6	33.7	53.1	619.7
1955	168.4	380.9	0.0	23.7	52.4	56.0	37.0	56.9	61.9	124.0	74.8	29.5	1065.5
1956	126.0	303.5	134.4	58.1	90.0	81.8	90.2	29.2	16.3	62.4	9.1	30.3	1031.3
1957	13.7	27.5	39.6	29.2	2.8	22.4	31.0	24.9	0.0	5.5	1.3	49.0	246.9
1958	104.0	44.7	22.9	40.9	81.8	54.8	25.4	22.4	89.5	80.9	7.4	96.8	671.5
1959	73.4	87.0	152.4	66.0	14.3	40.6	64.4	1.6	10.3	58.5	65.6	55.7	689.8
1960	46.2	29.2	24.7	11.8	40.7	3.0	57.1	72.8	97.2	33.2	64.8	45.7	526.4
1961	25.6	52.1	124.7	37.3	11.6	21.6	38.6	73.7	4.0	25.6	154.3	62.8	631.9
1962	119.6	22.7	28.3	26.6	64.8	3.0	41.4	56.6	22.3	61.1	11.7	92.1	550.2
1963	152.6	52.8	62.7	11.0	91.9	69.3	38.1	62.9	32.1	27.2	26.3	74.1	701.0
1964	56.6	6.9	104.9	75.5	29.2	39.6	48.0	28.4	62.7	64.5	23.3	28.7	568.3
1965	6.6	5.1	0.5	25.4	9.4	10.7	14.2	30.3	23.5	73.2	33.5	161.8	394.2
1966	1.8	25.1	106.5	6.4	28.6	28.4	17.3	72.4	35.2	91.9	71.1	18.9	503.6
1967	22.4	25.3	83.3	0.0	36.9	60.3	5.1	34.8	5.1	28.7	2.3	35.1	339.3
1968	241.3	36.6	36.9	9.7	104.4	10.9	34.4	57.7	19.7	17.3	18.5	101.6	689.0
1969	109.6	99.7	59.2	53.1	48.4	53.3	29.7	24.9	86.3	177.1	123.5	12.5	877.3
1970	81.1	35.1	48.0	63.5	8.1	17.0	0.0	17.4	106.3	40.7	48.4	135.9	601.5
1971	262.5		21.8	15.6	8.4	3.8	57.8	73.4	42.0	8.8	61.9	71.5	
1972	122.1	60.1	11.9	18.8	23.1	22.6	5.6			101.6	66.4		
1973	21.8	198.8	32.8	48.5	67.1	74.2	132.2	76.3	42.1	153.0	81.4	101.0	1029.2
1974	141.4	40.6	0.6	74.5	31.0	11.4	43.6	44.0	41.0	72.4	43.6	4.8	548.9
1975	48.8	193.6	70.0	10.4	2.8	61.2	15.0	34.0	64.6	82.0	27.0	34.4	643.8
1976	192.1	80.4	60.4	6.4	11.2	21.2	53.4	16.6	42.2	74.8	61.8		
1977	71.6	100.0	84.6	8.2	114.4	24.2	4.4	15.6	38.0	12.6	15.4	6.2	495.2
1978	283.9	3.0	108.0	5.8	106.8	48.7	51.4	12.4	97.6	13.2	70.6	99.8	901.2
1979	5.8	8.4	61.8	66.8	44.4	32.6	23.2	16.4	56.6	33.8	28.2	0.0	378.0
1980	76.8	27.8	15.2	10.2	70.4	41.2	26.6	46.0	0.0	35.2	0.0	30.2	379.6
1981	31.2	108.6	0.0	3.4	52.4	106.3	86.6	13.4	28.9	62.5	67.8	10.6	571.7
1982	84.0	25.4	212.7	0.8	14.0	12.4	6.8	0.0	12.0	12.8	17.0	43.2	441.1
1983	62.0	23.0	24.6	45.0	157.8	16.4	38.3	44.4	84.2	30.0	94.4	66.6	686.7

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

MENDOORAN POST OFFICE

Station Number: 064015 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.82°S · Longitude: 149.12°E · Elevation: 350 m

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1984	235.0	56.0	27.0	87.0	3.0	0.0	108.0	34.0	58.0	25.0	39.0	52.0	724.0
1985	0.0	40.0	38.0	68.0	23.0	61.0	6.0	87.0	30.0	64.0	60.0	82.0	559.0
1986	43.0	5.0	2.0	12.0	21.0	9.0	127.0	44.0	36.0	33.0	91.0	19.4	442.4
1987	60.5	54.6	95.0	0.0	32.0	63.0	23.0	103.0	20.0	46.0	92.0	71.0	660.1
1988	131.0	48.0	4.0	110.0	43.0	33.0	51.0	30.0	106.0	9.0	47.0	67.0	679.0
1989	19.0	23.0	98.0	108.0	118.0	64.0	71.0	15.0	6.0	61.0	48.0	55.0	686.0
1990	86.0	15.0	49.0	161.0	55.0	35.0	61.0	49.0	35.0	37.0	9.0	18.0	610.0
1991	146.0	33.0	19.0	3.0	100.0	119.0	58.0	10.0	22.0	14.0	27.0	108.0	659.0
1992	18.0	161.0	49.0	7.0	7.0	13.0	41.0	46.0	32.0	53.0	53.0	140.0	620.0
1993	113.0	40.0	23.0	2.0	49.0	36.0	107.8	27.5	79.3	94.1	83.7	39.5	694.9
1994	59.6	37.8	87.2	15.2	4.6	6.7	28.5	8.7	2.0	7.8	77.7	23.6	359.4
1995	147.1	4.7	0.0	1.0	99.4	19.3	13.9	1.8	81.9	13.8	60.8	51.4	495.1
1996	110.2	55.8	42.4	4.0	60.0	41.0	100.0	78.4	105.7	77.5	38.9	121.4	835.3
1997	47.8	67.8	24.0	0.0	47.4	22.8	16.0	8.6	82.4	52.0	26.6	91.1	486.5
1998	48.2	38.4	0.0	53.8	85.8	52.2	166.0	130.0	111.8	66.8	57.8	27.2	838.0
1999	52.6	23.6	192.2	96.8	12.8	47.2	31.8	84.4	37.6	169.2	83.9	72.0	904.1
2000	31.4	15.8	126.8	140.2	104.4	31.8	44.6	49.7	16.6	101.2	171.0	34.4	867.9
2001	27.0		76.0	39.6	25.8	20.4	73.2	24.6	15.8			15.0	
2002	13.4		29.0	41.8	34.0	30.8	1.2	12.2	34.6	12.5	7.4		
2003	13.8		74.1	90.2	3.6	45.4	28.3	116.6	20.0	82.6	55.2	13.2	
2004	29.2		39.2	24.4	46.0	38.0	54.0	39.2	27.8	49.3	63.8	104.0	
2005		26.2	46.0	0.0	5.0	106.0	33.4	21.8	91.4	69.6	106.4	28.6	
2006	60.4	58.4	16.8	52.4	0.0	30.0	63.7	13.6	14.2	0.9	25.0	23.5	358.9
2007	26.2	83.2	79.2	13.2	69.6	136.8	12.2		0.0	18.4	124.6	186.4	
2008	69.0		35.4	1.4	25.4	56.0	25.2	60.0	82.2	74.2	105.2	93.0	
2009	9.2	33.2	28.0	44.4	15.4	44.0	28.0	4.2	28.0	29.0	21.2	207.2	491.8
2010	100.2	121.7	75.0	40.2	45.8	26.2	93.6	69.4	87.4	30.8	150.2	220.4	1060.9
2011	76.6	22.6	34.2	20.0	42.6	9.6	7.8	37.4	84.4	75.6	127.6		
2012	118.4		93.0	6.8	36.6	45.4	59.6	13.0	33.6	7.2	27.8	15.2	
2013	70.4	43.8	118.8	0.0	30.2	93.8	14.8	3.8	29.4	7.8	12.6	20.0	445.4
2014	62.0		99.4	40.2	26.8	47.4	26.6	39.8	16.8	25.4	20.4		
2015	60.2	41.0	6.0	77.0	40.4	66.8	49.0	35.8	3.8	68.8	89.2	23.6	561.6
2016	204.6	13.0	38.6	42.2	76.2	120.8	63.4	40.6	154.8	79.4	53.6	55.6	942.8
2017	48.4	0.0	114.6	9.0	20.2	20.6	1.0	22.0	8.2	60.2	64.6	75.2	444.0
2018	63.2	33.0	47.6	9.0	13.0	20.0	5.4						

Quality control: 12.3 Done & acceptable, 12.3 Not completed or unknown



Monthly Rainfall (millimetres)

MENDOORAN POST OFFICE

Station Number: 064015 · State: NSW · Opened: 1886 · Status: Open · Latitude: 31.82°S · Longitude: 149.12°E · Elevation: 350 m

Statistics for this station calculated over all years of data

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	69.9	56.8	54.4	38.5	41.7	43.5	44.7	42.4	41.7	46.6	52.9	57.2	590.7
Lowest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	246.9
5th percentile	5.7	0.0	0.0	0.0	2.6	5.4	5.4	2.3	0.6	7.1	4.4	6.1	336.3
10th percentile	11.9	4.7	4.6	1.3	6.8	10.9	8.2	9.6	5.1	8.7	9.1	8.8	360.0
Median	56.6	37.0	41.0	25.4	33.2	35.7	37.0	34.5	32.8	35.6	48.2	43.2	568.3
90th percentile	145.8	133.9	110.0	91.0	92.1	91.0	92.9	84.1	86.7	91.8	105.6	104.8	875.4
95th percentile	181.6	180.0	146.1	109.4	105.7	106.3	112.4	108.2	105.9	101.5	126.6	139.4	988.8
Highest	283.9	380.9	277.9	161.0	157.8	142.0	179.3	188.6	161.3	177.1	228.4	227.4	1156.5

Statistics calculated over the period 1961-1990

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean	93.2	50.8	55.7	39.0	47.7	35.2	42.0	41.8	42.7	52.5	51.1	55.6	603.4
Lowest	0.0	3.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	8.8	0.0	0.0	339.3
5th Percentile	3.6	5.0	0.5	0.4	5.3	3.4	4.7	12.8	4.4	10.6	5.3	5.3	378.5
10th percentile	6.5	6.5	1.9	3.1	8.4	8.5	5.6	14.7	5.8	12.8	11.4	9.3	388.4
Median	74.2	36.6	48.5	22.1	34.5	30.5	38.2	34.8	36.0	38.8	47.5	53.5	601.5
90th percentile	235.6	101.7	106.7	89.1	107.6	64.5	88.7	74.2	88.6	92.9	92.2	101.2	785.3
95th percentile	253.0	159.6	117.2	109.1	116.4	72.0	118.4	82.7	102.6	129.9	110.4	123.9	894.0
Highest	283.9	198.8	212.7	161.0	157.8	106.3	132.2	103.0	106.3	177.1	154.3	161.8	1029.2

1) Calculation of statistics

Summary statistics, other than the Highest and Lowest values, are only calculated if there are at least 20 years of data available.

2) Gaps and missing data

Gaps may be caused by a damaged instrument, a temporary change to the site operation, or due to the absence or illness of an observer.

3) Further information

<http://www.bom.gov.au/climate/cdo/about/about-rain-data.shtml>.

Product code: IDCJAC0001 reference: 40226081 Created on Thu 16 Aug 2018 19:29:23 PM EST

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology.

Prepared using Climate Data Online, Bureau of Meteorology <http://www.bom.gov.au/climate/data>.

Contact us using details on <http://www.bom.gov.au/climate/how/contacts.shtml>.

We have taken all due care but cannot provide any warranty nor accept any liability for this information.

<http://www.bom.gov.au/other/copyright.shtml>

