

# **Community Consultation Meeting**

## **Action List**

### **Dunedoo**

Minute / ACTION Required	Directorate	Progress	Status
<b>Dunedoo</b>			
<b>14 November 2022 – Round 1 2022/2023</b>			
<b>1. Dunedoo Columbarium Project</b>  <b>ACTION:</b> DTS - Information on using the columbarium at Dunedoo to go out in the Dunedoo Diary, on Council's website, Facebook, and possibly by letterbox drop.	TS	05.01.23 – Information disseminated.	Completed
<b>6. Additional Signage for town attractions (John Horne)</b> Mr Horne requested a heritage sign for the railway station, one of few surviving stations of that design in NSW, on the road near the Council depot  <b>ACTION:</b> DEEDS to investigate placement of a heritage sign for the Dunedoo Railway Station.	EDS	04.01.23 – sign to be discussed with Council's Heritage Advisor 22.03.23 – raised with Heritage Advisor, awaiting advice	In Progress
<b>12 What is Council's policy on renewable energy projects within the Shire?</b>  <b>ACTION:</b> DEEDS to consider the impact on health and emergency services in submissions on renewable energy developments in the local government area.	EDS	04.01.23 – matter will be raised in council discussions & submissions with REZ developers going forward 22.03.23 – included in submissions for REZ related projects when opportunities arise	Completed
<b>20. Merotherie Road:</b> Community member stated that Merotherie Road is in a dreadful state. Council did a reasonable job on it last time, but it is sinking.  <b>ACTION:</b> DTS – staff to consider Merotherie Road for repairs.	TS	05.01.23 – Merotherie Road will be repaired as part of the flood restoration works when funding is approved. 17.02.23 – Funding has been approved. Works will be programmed in accordance with the prioritisation order as resolved by Council. 08.03.23 – Repair works carried out.	Completed

Minute / ACTION Required	Directorate	Progress	Status
<b>Dunedoo</b>			
<b>14 November 2022 – Round 1 2022/2023</b>			
<p><b>21. Lawson Park Road</b> Community member stated Lawson Park Road needs a load of aggregate for about 100m.</p> <p><b>ACTION:</b> DTS – staff to consider Lawson Park Road for repairs</p>	TS	<p>05.01.23 – Lawson Road will be repaired as part of the flood restoration works when funding is approved.</p> <p>17.02.23 – Funding has been approved. Works will be programmed in accordance with the prioritisation order as resolved by Council.</p> <p>08.03.23 – No further update</p>	In Progress
<p><b>23 Road between saleyards and showground</b> Request that the road be graded and the water diverted so that it doesn't run straight down onto the showground.</p> <p><b>ACTION:</b> DTS – staff are to consider maintenance of the lane between the saleyards and showground.</p>	TS	<p>05.01.23 – Stormwater issue under investigation.</p> <p>17.02.23 – Overall stormwater issues for Dunedoo to be investigated and an improvement program to be developed.</p> <p>08.03.23 – Investigation in progress</p>	In Progress
<b>9 November 2021 – Round 1 2021/2022</b>			
<p><b>1. TRRC Update</b></p> <p><b>ACTION:</b> Maintenance of site, such as lawn mowing, to be undertaken</p>	TS	<p>20.01.22 – Vegetation control to be done as required.</p> <p>03.03.22 – Vegetation control continues to be done on an as required basis</p> <p>25.05.22 - Vegetation control continues to be done on an as required basis</p> <p>22.08.22 – Vegetation control completed week ending 19 August 2022.</p>	In Progress

Minute / ACTION Required	Directorate	Progress	Status
<b>Dunedoo</b>			
<b>21 October 2020 – Round 1 2020/2021</b>			
<p><b>4. Dunedoo Digital Sign Update</b></p> <p><b>ACTION:</b> DCCS staff to send the digital sign computer for repair if possible.</p>	<p>CCS</p>	<p>01.03.21 – System box repaired however cabling not included when sought to install. Reinstallation attempted, Company requested to send cabling for attempt to reinstall.</p> <p>09.08.21 – Recommend community consultation with the Dunedoo community regarding either replacing or removing the sign.</p> <p>07.03.21 – There is still community support to retain the sign. New cabling ordered for micro-PC; however advice from Tamworth Regional Council IT team is that the sign is under-powered and will continue to break down. As the sign is connected to mains power, this indicates an issue with the hardware itself, which is the reason for continued frequent breakdowns. Technicians have not previously overcome the frequent breakdowns.</p> <p>07.07.22 – Hire equipment booked to retrieve PC from electronic sign so that new cabling can be ordered and installed. This is a final attempt at getting the sign operating.</p> <p>23.1.23 – PC retrieved from Sign. Awaiting new cable.</p> <p>31.03.03 - The micro PC from the electronic sign is not salvageable. The Dunedoo Development Group has proposed to utilise the existing structure to convert the electronic sign to a static 'welcome' sign.</p>	<p>Completed</p>

Minute / ACTION Required	Directorate	Progress	Status
<b>Dunedoo</b>			
<b>21 October 2020 – Round 1 2020/2021</b>			
<p><b>10. State of Pine Ridge and Lawson Park Roads</b> Sue Graham stated that staff did a good job on road but the culvert built at her gate is not functioning well.</p> <p><b>ACTION:</b> Manager Roads to investigate the culvert</p>	TS	<p>23.03.21 – To be investigated. 28.06.21 – This request refers to Avonside Road. Onsite discussion held with Grahams. Pipe culvert to be installed when resources become available. 11.10.21 – Pipe culvert to be installed when resources are available. 05.01.23 – This has been superseded by the flood damage works.</p>	Completed