

Community Consultation Meeting

ACTION List

Mendooran

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
4 April 2022 – Round 2 2021/2022			
<p>1. Footpath 70 Bandulla Street Mendooran</p> <p>ACTION: DTS to organise temporary repair to footpath at 70 Bandulla Street Mendooran and investigate a permanent solution to fix footpath.</p>	TS	<p>23.05.22 – Temporary repair to be programmed. Permanent solution work to be carried out in 2022/23 financial year.</p> <p>13.10.22 – Works to be programmed in conjunction with other footpath works in Mendooran.</p>	In progress
<p>2. Frances Street Mendooran road conditions and water</p> <p>DTS advised the issue is not a simple fix and a scope of works with a cost estimate would be needed for a permanent fix.</p> <p>ACTION: DTS to liaise with Mr Chapman to detail concerns over Frances Street Mendooran.</p>	TS	<p>23.05.22 – Site meeting to be arranged to determine cost of works.</p> <p>07.07.22 – The road has been inspected and repairs will be completed when resources are available and the site is dry enough to get equipment onto the road.</p> <p>01.08.22 – No update.</p> <p>12.10.22 – A further inspection has been completed and to address the issue extensive drainage works is required. These works are currently unfunded.</p>	In progress
<p>7. Noxious Weeds Control – African Boxthorn in Mendooran</p> <p>DEDS advised map was passed onto Castlereagh Macquarie County Council (CRMCC).</p> <p>ACTION: DEDS to follow up with CRMCC for an update regarding African boxthorn in Mendooran.</p>	EDS	<p>23.05.22 – contact made with CMCC, advised the African Boxthorn. It has been scheduled into their future work program for actioning</p> <p>01.07.22 – spraying was completed by CMCC in May 2022</p>	Complete

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
4 April 2022 – Round 2 2021/2022			
<p>8. Sealing of Tooraweenah Road DTS advised funding has been received for sealing the 3.4km stretch of Tooraweenah Road within the Warrumbungle Shire Council. The design is to be finalised by 1 May 2022 and project completion by 30 June 2023.</p> <p>Lyn Sciberras advised of a hole in the road near the bridge on Grandchester Road.</p> <p>Dianne Mulligan advised of overgrown vegetation and there being no black and white signs on the bridge which is a safety hazard.</p> <p>ACTION: DTS to investigate the hole in the road near the bridge and the installation of black and white signs on the bridge on Grandchester Road.</p>	TS	<p>23.05.22 Grandchester Rd to be repaired as part of the Tooraweenah Road upgrading project. 07.07.22 – The road has been repaired. 12.10.22 – Grandchester Road has been inspected a number of times over the past few months. Any unacceptable defects identified during inspections will be addressed as part of the flood recovery program over the next 2 months.</p> <p>Bridge meeting the requirements.</p>	Completed
<p>21. Napier Street and Benewa Street Stormwater Drain Maintenance</p> <p>ACTION: DTS to investigate stormwater drainage in Napier Street and Benewa Street.</p>	TS	<p>23.05.22 Inspection to be programmed. 22.08.22 – Has been inspected and it doesn't require maintenance.</p>	Completed

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
25 October 2021 – Round 1 2021/2022			
<p>2 Pool lighting Request for update on swimming pool lighting, previously advised an electrician would attend but that has not occurred.</p> <p>ACTION: A/DTS to arrange an electrician to attend Mendooran Pool in relation to lighting at the pool</p>	TS	<p>20.01.22 – Quote for work requested. 23.05.22 – Review of pool lighting to be considered as part of post season maintenance works. 22.08.22 – To be looked at as part of pre-season maintenance. 13.10.22 – Not a priority at this stage owing to other higher priorities.</p>	Completed
<p>7 Bandulla Street</p> <p>ACTION: A/DTS to arrange inspection of the kerbside gutters and parking spaces in Bandulla Street, Mendooran for damage and hazards caused by tree roots</p>	TS	<p>20.01.22 – Inspection carried out. Work to be priced and prioritised. 03.03.22 – To address the hazards will require the removal of the trees and rehabilitation of road pavement. This will require significant expenditure outside of the available maintenance budgets. A comprehensive plan for the main street developed in consultation with the community is considered desirable 23.05.22 – Requested priority listing from community still not received. Removal of trees and rehabilitation of pavement to be done in association with TfNSW when they repair the highway. Awaiting their advice. Likely to be in 2022/23 financial year. 07.07.22 – No further update. 12.08.22 – No update received from TfNSW.</p>	In Progress

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
25 October 2021 – Round 1 2021/2022			
<p>7 Bandulla Street (continued)</p> <p>ACTION: A/DTS to arrange inspection of the kerbside gutters and parking spaces in Bandulla Street, Mendooran for damage and hazards caused by tree roots</p>	DTS	<p>13.10.22 - The highway through town has been inspected by TfNSW and Council staff. The works will include the replacement of the water pipe under the damaged section, heavy patching of the highway (owned by TfNSW), the rehabilitation of some of the shoulder to the kerb (Council owned) and tree replacement. Funding is still to be confirmed for Council's contribution for the shoulder to kerb road repairs and sealing as it is not in this year's budget. It may be necessary to delay the resealing of other streets in Mendooran to fund these works.</p>	In Progress
<p>22. Vacant Land</p> <p>DEDS advised that, following a Notice of Motion by Cr Todd at the October 2021 Council Meeting, Council is encouraging owners of vacant blocks to consider offering them for sale.</p> <p>ACTION: GM to provide information on when Council will hold sale of land for unpaid rates.</p>	ES	<p>27.01.22 – Preparatory work for sale being undertaken. No timeline yet set.</p>	In Progress
<p>24 Bandulla Street signage – request for directional signage towards the campground at the western end of Bandulla Street, and for warning sign that the road ends in or around the same location.</p> <p>ACTION: A/DTS to review</p>	TS	<p>20.01.22 – Sign ordered. 03.03.22 – Sign installed. Additional T intersection sign requested to be installed. 23.05.22 – Signage installed</p>	Completed

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
26 April 2021 – Round 2 2020/2021			
<p>7 Yarrow Road, efforts to open</p> <p>ACTION: DTS to organise removal of sand, install signage and reopen road.</p>		<p>08.04.21 – Council not permitted to remove blockage downstream. The local member has been approached requesting that the relevant state agencies carry out their responsibilities with respect to the waterway.</p> <p>23.06.21 – Sand removed. Permanent sign plan being reviewed.</p> <p>03.03.22 – Yarrow Road will not be able to be opened until the relevant state agencies agree to carry out their responsibilities with respect to the waterway. A permanent solution such as a box culvert will not meet a suitable cost/benefit ratio given that there is an alternate route.</p> <p>23.05.22 – Sand on causeway removed however this has not fixed the problem as further work required in the creek which is the responsibility of the Crown. Still awaiting advice from Crown agencies on what they plan to do.</p> <p>01.08.22 – Council has discussed matter with Crown Lands on 15 July and are waiting on their formal report before proceeding further.</p> <p>12.10.22 – Report to October Council meeting. It is recommended that the causeway is permanently closed as there is no financially feasible options to address the issue.</p>	In Progress

Minute / ACTION Required	Directorate	Progress	Status
Mendooran			
26 April 2021 – Round 2 2020/2021			
<p>7 Yarrow Road, efforts to open (continued)</p> <p>ACTION: DTS to organise removal of sand, install signage and reopen road.</p>	<p>DTS</p>	<p>20.10.22 – Council Resolution 111/2223 Resolved that Council:</p> <ol style="list-style-type: none"> 1. Takes no further action to improve access across the Merrygoen Creek causeway on Yarrow Road, Mendooran. 2. Informs the residents of Mendooran that Council is unable to provide a safe and dry access across the causeway that is affordable by the Shire at this time. 3. Further assesses and considers options as the weather conditions change and the conditions of the Creek improve. 4. Supports the Department of Planning and Environment seeking an expression of interest for the licencing of sand extraction from the site. 	<p>In Progress</p>